

**Results of the Fiscal 2012 Follow-up to the Voluntary Action Plan on the
Environment (Summary)
—Section on Global Warming Measures—
< Performance in Fiscal 2011 >**

November 20, 2012
Keidanren

Contents

| | |
|--|----|
| 1. Target achievement policies for the Kyoto Protocol commitment period (fiscal 2008 to fiscal 2012) | 1 |
| 2. CO₂ emissions in fiscal 2011 by industry as a whole (comprising the industrial and energy-conversion sectors) | 2 |
| 3. Trends by industry | 4 |
| 4. Evaluation of Voluntary Action Plan achievements | 4 |
| (1) Attribution analysis of CO ₂ emissions in the industrial and energy-conversion sectors for fiscal 2011 | 4 |
| (2) Setting higher target levels by industries in fiscal 2011 | 6 |
| 5. Efforts in the commercial, residential, and transportation sectors to reduce CO₂ emissions | 7 |
| (1) Efforts by participating industries of the transportation, commercial, and other sectors | 9 |
| (2) Efforts related to offices and other operational units | 10 |
| (3) Efforts related to distribution operations | 11 |
| (4) Efforts from a life cycle assessment (LCA) perspective | 12 |
| (5) Support for national campaigns and the promotion of forest management activities | 16 |
| 6. Efforts to make international contributions utilizing the technological capabilities of Japanese industry | 18 |
| (1) International comparisons of energy efficiency | 18 |
| (2) Overseas operations to reduce greenhouse gases based on the Kyoto Mechanisms | 20 |
| 7. Future Policies | 22 |
| (Attachment 1) | |
| Trends in Industrial and Energy-Conversion Sectors | 25 |
| (Attachment 2) | |
| Trends in Transportation, Commercial, and Other Sectors | 30 |
| (Attachment 3) | |
| Examples of Efforts to Achieve Targets Reported by Participating Industries | 32 |
| (Attachment 4) | |
| Results of Efforts Related to Offices and Other Operational Units | 50 |
| (Attachment 5) | |
| Results of Efforts Related to Distribution Operations | 53 |
| (Attachment 6) | |
| International Comparison of Energy Efficiency in Participating Industries | 55 |
| (Attachment 7) | |
| Evaluation Committee for the Voluntary Action Plan on the Environment | 56 |
| (Reference) | |
| The Formulation of the Voluntary Action Plan on the Environment: History and Aims | 57 |

1. Target achievement policies for the Kyoto Protocol commitment period (fiscal 2008 to fiscal 2012)

Under the philosophy that positive involvement in environmental issues is essential to the survival of companies as well as their activities, Keidanren established the Keidanren Voluntary Action Plan on the Environment (section on global warming measures) in June 1997 prior to adoption of the Kyoto Protocol. Since then, it has declared that it will “endeavor to reduce average CO₂ emissions from the industrial and energy-conversion sectors between fiscal 2008 and 2012 to below the level of fiscal 1990” as the uniform target, while participating industries and companies have set their own targets and have been striving to achieve those targets as their social commitment.

The Voluntary Action Plan on the Environment has recognized the achievement of targets through the supplementary use of domestic credits contributing to material reductions as well as the credits of the Kyoto Mechanisms when the achievement of such targets is difficult through voluntary reduction efforts alone.

2. CO₂ emissions in fiscal 2011 by industry as a whole (comprising the industrial and energy-conversion sectors)

The 34 industries¹ in the industrial and energy-conversion sectors that participated in the Fiscal 2012 Follow-up together emitted 505.84 million t-CO₂ in fiscal 1990, the base year.² The emissions accounted for approximately 44% of Japan's total emissions of 1,141.20 million t-CO₂ in that year. Moreover, they represented approximately 83% of the total amount of CO₂ emitted by Japanese industrial and energy-conversion sectors in fiscal 1990 (612.30 million t-CO₂).³

1. The following are the 34 participating industry groups in the industrial and energy-conversion sectors: Flat Glass Manufacturers Association of Japan; Japan Federation of Housing Organizations; four electrical/electronics-related groups (Communications and Information Network Association of Japan, Japan Electronics and Information Technology Industries Association, The Japan Electrical Manufacturers' Association, and Japan Business Machine and Information System Industries Association); Japan Sugar Refiners' Association; Flour Millers Association; Japan Petroleum Development Association; Petroleum Association of Japan; Limestone Association of Japan; Lime Manufacture Association; Japan Cement Association; Japan Soft Drink Association; The Federation of Electric Power Companies of Japan; Japan Aluminium Association; Japan Sanitary Equipment Industry Association; Japan Chemical Industry Association; The Japan Gas Association; Japan Federation of Construction Contractors; Japan Mining Industry Association; Japan Machine Tool Builder's Association; The Japan Rubber Manufacturers Association; The Japan Society of Industrial Machinery Manufacturers; Japan Industrial Vehicles Association; Japan Automobile Manufacturers Association; Japan Auto-Body Industries Association; Japan Auto Parts Industries Association; Japan Copper and Brass Association; Japan Paper Association; The Federation of Pharmaceutical Manufacturers' Associations of Japan and Japan Pharmaceutical Manufacturers Association; The Shipbuilders' Association of Japan and the Cooperative Association of Japan Shipbuilders; The Japan Iron and Steel Federation; Japan Association of Rolling Stock Industries; The Japanese Electric Wire & Cable Makers' Association; Japan Dairy Industry Association; The Japan Bearing Industrial Association; and Brewers Association of Japan.


2. When calculating emission volumes for the industrial and energy-conversion sectors as a whole, Keidanren uses the following electricity CO₂ emission factor survey data (averages for all power sources at generating ends) provided by the Federation of Electric Power Companies. Unless stated otherwise, electricity carbon emission factors cited for individual industries are also based on the following data. (For FY 1990: 3.71; FY 1997: 3.24; FY 1998: 3.13; FY 1999: 3.32; FY 2000: 3.35; FY 2001: 3.36; FY 2002: 3.60; FY 2003: 3.87; FY 2004: 3.74; FY 2005: 3.79; FY 2006: 3.68; FY 2007: 4.07; FY 2008: 3.35 [with credits] / 4.00 [without credits]; FY 2009: 3.16 [with credits] / 3.70 [without credits]; FY 2010: 3.16 [with credits] / 3.72 [without credits]; FY 2011: 4.29 [with credits] / 4.60 [without credits]).

Other conversion factors for energy: For caloric value, Keidanren utilizes data from the following: *Comprehensive Energy Statistics*, the Agency of Natural Resources and Energy's "2005 *nenn iko tekiyo suru hyojun hatsunetsu ryo no kento kekka to kaiteichi ni tsuite*" (Examination results and revised values for standard caloric values applicable in fiscal 2005 and beyond) (May 2007), and survey data by the Federation of Electric Power Companies. Due to revisions of the Caloric Value Table, caloric conversion factors for periods prior to FY 2000 differ from those for the period from FY 2000 through FY 2004 and from FY 2005 onward. For carbon conversion factors, Keidanren uses *National Greenhouse Gas Inventory Report of Japan* (2011).

3. The total of emissions is from the industrial and energy-conversion sectors and industrial processes as contained in the statistics on total CO₂ emissions for Japan, which are announced by the Ministry of the Environment.

According to the Fiscal 2012 Follow-up, CO₂ emissions in fiscal 2011 were 454.26 million t-CO₂, representing a 10.1% decrease compared to fiscal 1990 (and a 2.5% increase compared to fiscal 2010),⁴ as shown in the graph on following page.⁵

CO₂ Emissions by the Industrial and Energy-Conversion Sectors⁶



4. Without credits, CO₂ emissions were 461.56 million t-CO₂, representing an 8.7% decrease compared to fiscal 1990 (and a 1.1% increase compared to fiscal 2010).

5. Industries review actual figures on CO₂ emissions each year with the aim of improving the accuracy. Therefore, cited figures may vary from the previous fiscal year.

6. The Great East Japan Earthquake had several effects on CO₂ emissions, including (1) reduced activity as companies' production levels fell, (2) increased emissions due to use of in-house power generation facilities, and (3) increased emissions due to deterioration in electricity emission factors. Of these, the following points should be noted regarding (3) increased emissions due to deterioration in electricity emission factors: based on the fiscal 2011 CO₂ emission factor of 3.06 (4.29 with credits), emissions would amount to 436.68 million t-CO₂, 17.58 million t-CO₂ lower than the actual amount for fiscal 2011 (a 13.6% decrease compared to fiscal 1990 and a 1.4% decrease compared to fiscal 2010). This factor of 3.06 is a generating-end estimate (3.4 t-CO₂/10,000 kWh × 0.900) based on adjusting the Federation of Electric Power Companies' target (a user-end factor of around 3.4 t-CO₂/10,000 kWh) to allow for an average 10.0% overall loss rate for transmission losses, etc., over the last five years (fiscal 2007 to 2011).

3. Trends by industry

Of the 34 industries in the industrial and energy-conversion sectors that participated in the Fiscal 2012 Follow-up, 22 reported CO₂ emission reductions compared to fiscal 1990,⁷ while 4 reported reductions compared to fiscal 2010.⁸

Of the 12 industries that defined their goals in terms of CO₂ emission reductions,⁹ 11 reported reductions compared to fiscal 1990¹⁰ and one reported reductions compared to fiscal 2010.¹¹ Of the five industries that defined their goals in terms of energy savings, four reported savings compared to fiscal 1990. Of the nine industries that defined their goals in terms of CO₂ emission reductions per unit of output, five reported improvements compared to fiscal 1990,¹² and one showed improvements compared to fiscal 2010.¹³ Of the 11 industries that defined their goals in terms of energy efficiency improvements, nine reported improvements compared to fiscal 1990, and three showed improvements compared to fiscal 2010 (Attachment 1).

4. Evaluation of Voluntary Action Plan achievements

- (1) Attribution analysis of CO₂ emissions in the industrial and energy-conversion sectors for fiscal 2011

An attribution analysis was made of the 10.1% decrease in CO₂ emissions between fiscal 1990 and fiscal 2011 for the 34 industries in the industrial and energy-conversion sectors. Increases in production activity and CO₂ emission factors between fiscal 1990 and fiscal 2011 respectively contributed to rises of 1.1% and 1.7% in CO₂ emissions. On the other hand, a reduction in CO₂ emissions per unit of output contributed to a decrease of 13.0% in CO₂ emissions. The low-carbon rate (the improvement of the CO₂ emission factor compared to fiscal 1990 and the improvement of CO₂ emissions per unit of output compared to fiscal 1990), which reflects industries' efforts to reduce emissions,

7. Twenty-two industries excluding credits.

8. Seven industries excluding credits.

9. Achievements made toward each target are counted for those industries that have declared multiple targets.

10. Eleven industries excluding credits.

11. Two industries excluding credits.

12. Five industries excluding credits.

13. One industry excluding credits.

was -11.3%.

Compared to fiscal 2010, while a decline in production activity resulted in a 4.3% decrease in CO₂ emissions, increases in the CO₂ emission factor and CO₂ emissions per unit of output respectively contributed to rises of 3.6% and 3.3% in CO₂ emissions. As a result, CO₂ emissions in fiscal 2011 represented an increase of 2.5% compared to fiscal 2010.

Reference: An Attribution Analysis for Changes in CO₂ Emissions by Industrial and Energy-Conversion Sectors in Fiscal 2011*¹

| | Comparison to FY 1990 | Comparison to FY 2010 |
|--|--------------------------|--------------------------|
| Change in production activity* ² | +1.1% | -4.3% |
| Change in CO ₂ emission factor* ³ | +1.7% | +3.6% |
| Change in CO ₂ emissions per unit of output (efficiency improvement) | -13.0% | +3.3% |
| Total | -10.1% | +2.5% |


*¹ Due to the rounding of values to two decimal places, totals may differ slightly from the sum of individual items.

*² For change in production activity, the indices with the closest relation to energy consumption in each industry were selected.

*³ CO₂/MJ for fuel use and CO₂/kWh for electricity consumption.

Note: The effect of depreciating credits

Emission credits depreciated by the 34 industries in fiscal 2011 to help achieve their targets were about 30.00 million t-CO₂ of Kyoto Mechanism credits (approximately 57.00 million t-CO₂ in fiscal 2010, 52.00 million t-CO₂ in fiscal 2009, and 64.00 million t-CO₂ in fiscal 2008) and around 38,000 t-CO₂ of domestic credits, all of which were depreciated by electric power companies. This led to an improvement of the CO₂ emission factor accompanying electricity use. As a result, the CO₂ emissions of the 34 industries were approximately 7.31 million t-CO₂ lower than the case where electric power companies had not depreciated their Kyoto Mechanism credits and domestic credits (corresponding to about 1.6% of fiscal 2011 CO₂ emissions). Industries other than electric power companies depreciated no credits in fiscal 2011.




(2) Setting higher target levels by industries in fiscal 2011

In the Voluntary Action Plan on the Environment, industries that have achieved greater reductions than initially forecast are expected to set higher target levels. Many industries set higher target levels in the Fiscal 2007 Follow-up and thereafter, although no industries did so in the Fiscal 2012 Follow-up.

5. Efforts in the commercial, residential, and transportation sectors to reduce CO₂ emissions

An examination of trends of Japan's total CO₂ emissions from energy consumption reveals that, based on final figures for fiscal 2010, such emissions increased 6.1% compared to fiscal 1990 (a decrease of 0.3% for all greenhouse gases including non-energy-consumption CO₂, methane, and alternatives to chlorofluorocarbons [CFCs]). A breakdown of CO₂ emissions by sector shows that emissions from the industrial sector declined 12.5% whereas emissions from the commercial and residential sectors recorded substantial increases of 31.9% and 34.8%, respectively.

Reference: CO₂ Emissions from Energy Consumption in Japan, by Sector




Source: Ministry of the Environment

Japanese industry has supported efforts in the residential, commercial, and transportation sectors to reduce emissions by developing and providing various services and disseminating energy-efficient products that meet “Top Runner” standards and by providing information to employees and customers. Keidanren is determined to continue contributing to Japan’s achievement of its commitments under the Kyoto Protocol by harnessing the technological capabilities and creative ingenuity of Japanese companies.

Industry measures to combat climate change have spread from manufacturing to distribution and office operations and are developing into nationwide efforts through corporate employees. It is important for more companies to expand their activities aimed at preventing climate change by sharing and effectively exploiting the experience and accomplishments of broad-ranged efforts made to date by individual companies to fight climate change. Keidanren has taken every opportunity to urge member companies and organizations to step up their efforts against climate change in the commercial, residential, and transportation sectors. (Examples include the June 1, 2010, statement titled “A Call for Efforts to Create a Low-Carbon Society;” the June 14, 2011, statement, “A Call for Reduced Energy Usage and Measures to Address Global Warming;” and the June 19, 2012, statement, also titled “A Call for Reduced Energy Usage and Measures to Address Global Warming.” All issued in Japanese.)

Reference: Circle of Widening Voluntary Efforts in the Commercial, Residential, Transportation, and Other Sectors



(1) Efforts by participating industries of the transportation, commercial, and other sectors

Fourteen industry groups and companies from the commercial and other sectors, and 13 industrial associations and companies from the transportation sector, took part in the Fiscal 2012 Follow-up (Attachment 2).¹⁴ Many of the participating industries and

14. The following 14 industry groups and companies participated from the commercial and other sectors: The Life Insurance Association of Japan; Japanese Bankers Association; Japan Federation of Printing Industries; Japan LP Gas Association; The General Insurance Association of Japan; Japan Chain Stores Association; Japan Department Stores Association; Japan Franchise Association; Japan Hotel Association; Japan Foreign Trade Council, Inc.; Japan Association of Refrigerated Warehouses; The Real Estate Companies Association of Japan; NTT Group, and KDDI Corporation. Participating industries from the transportation sector consist of the following 13 associations and companies: All Japan Freight Forwarders Association; Japan Trucking Association; The Scheduled Airlines Association of Japan; The Japanese Shipowners' Association; Japan Federation of Coastal Shipping Associations; The Association of Japanese Private Railways; and JR Freight, JR Kyushu,

companies have set specific quantitative targets for fiscal 2008 through 2012, including targets for CO₂ emissions or CO₂ emissions intensity. They have been making steady efforts toward achieving the targets by pursuing such measures as installation of energy-saving facilities and equipment, operational improvements, and in-house education (Attachment 3).

In the transportation, commercial, and other sectors, many of the participating industries and companies that achieved results surpassing initial expectations have raised their targets, in the same manner as in the industrial and energy-conversion sectors.

(2) Efforts related to offices and other operational units

A variety of energy efficiency improvement measures in offices being pursued is not limited to industry groups in the commercial sector. In a broad range of industry groups in the industrial, energy-conversion, transportation, and other sectors, a diversity of efforts are being made, such as to strengthen the control of air conditioning temperatures, to conserve electricity by switching off lights, and to install high-efficiency, energy-saving facilities. These efforts have led to the reduction of CO₂ emissions and of CO₂ emissions per unit of floor area (Attachment 4).

Also, as shown in the table below, there are multiple companies that have established numerical targets for operational units and are actively promoting measures toward their achievement.

Reference: Examples of Numerical Targets for Offices and Operational Units Reported by the Industrial and Energy-Conversion Sectors

| Industry | Target setting entity | Numerical targets |
|--------------------------------|-----------------------|---|
| Petroleum Association of Japan | Companies | <ul style="list-style-type: none"> • Reduce energy consumption intensity by 3% in FY 2012 compared to FY 2009 • Reduce CO₂ emissions by an average of 8% between FY 2010 and FY 2014 compared to the average between FY 2005 and FY 2008 |

JR Shikoku, JR Central, JR West, JR East, and JR Hokkaido.

| | | |
|---|-----------|--|
| The Japan Gas Association | Companies | <ul style="list-style-type: none"> • Reduce CO₂ emissions per unit of floor area by more than 1% annually between FY 2008 and FY 2012 compared to FY 2007 • Reduce total energy consumption by 22% in FY 2020 compared to FY 2005 |
| The Japan Iron and Steel Federation | Industry | <ul style="list-style-type: none"> • Reduce CO₂ emissions by an average of 5% between FY 2008 and FY 2012 compared to the average between FY 2003 and FY 2005 |
| Japan Chemical Industry Association | Companies | <ul style="list-style-type: none"> • Reduce electricity consumption by 6% in FY 2010 compared to FY 1990 |
| Japan Cement Association | Companies | <ul style="list-style-type: none"> • Reduce annual kerosene consumption by 5% compared to FY 2005 |
| Japan Automobile Manufacturers Association and Japan Auto-Body Industries Association | Companies | <ul style="list-style-type: none"> • Reduce energy consumption intensity by 3% in FY 2013 compared to FY 2010 • Reduce by 15% in FY 2020 compared to FY 2005 |

Note: See Attachment 2 for the targets of industries and companies in the commercial sector.

(3) Efforts related to distribution operations

In relation to the emissions reduction in distribution operations, world-leading fuel efficiency technologies targeting motor vehicles are being applied to achieve further improvements. In addition, emissions reduction is steadily progressing through such efforts as consolidating distribution bases, converting to low-emission vehicles, and increasing the efficiency of distribution through collaboration between distribution companies and their clients (Attachment 5).

As shown in the table below, some companies in the industrial, energy-conversion, commercial, and other sectors have established numerical targets for their distribution operations as well.

Reference: Examples of Numerical Targets for Distribution Operations Reported by the Industrial, Energy-Conversion, Commercial, and Other Sectors

| Industry | Target setting entity | Numerical targets |
|--|-----------------------|--|
| The Japan Gas Association | Companies | <ul style="list-style-type: none"> • Reduce vehicle CO₂ emissions by more than 5% by the end of FY 2015 compared to FY 2010 |
| Japan Chemical Industry Association | Companies | <ul style="list-style-type: none"> • Reduce energy consumption per t/km by 1% per year • Increase the rail transport rate by 1% over the previous year • Reduce land transport by 1% per year |
| The Japanese Electric Wire & Cable Makers' Association | Industry | <ul style="list-style-type: none"> • Reduce energy consumption intensity by 1% per year |
| Japan LP Gas Association | Companies | <ul style="list-style-type: none"> • Enhance transport energy efficiency (energy consumption/sales) by 1% per year |

Note: See Attachment 2 for the targets of industries in the transportation sector.

(4) Efforts from a life cycle assessment (LCA) perspective

Companies contribute to CO₂ emissions reduction not only by enhancing efficiency in manufacturing and production processes but also by providing low-carbon products and services. Their ongoing efforts include the development and diffusion of products that emit less CO₂ in use, and the expanded use of wastes that were considered worthless as raw materials and sources of heat energy.

Reference: Examples of Measures Pursued from an LCA Perspective, Including Contributions Made through Products and Services

| Products | Overview | | CO ₂ reduction benefits |
|------------------------|--|---|---|
| Appliances | Introduce energy-efficient appliances that exceed standards set by the Top Runner Program | | 26.00 million t-CO ₂ reduction in commercial and residential sectors in FY 2010 (estimation based on reference materials for the Kyoto Protocol Target Achievement Plan of March 2008) |
| | Products | Numerical targets for energy efficiency gains | Actual gains (energy efficiency) |
| | LCD/plasma TVs | 16.6% (FY 2004→FY 2008) | 29.6% |
| | DVD recorders | 20.5% (FY 2006→FY 2010) | 45.2% |
| | Air conditioners | 22.4% (FY 2005→FY 2010) | 16.3% |
| | Refrigerators | 21.0% (FY 2005→FY 2010) | 43.0% |
| | Freezers | 12.7% (FY 2005→FY 2010) | 24.9% |
| High-performance steel | Requires more energy in production process compared to ordinary steel, but offers energy savings when used in machinery such as transformers and heat-resistant boilers. | | Reduction of about 22.08 million t-CO ₂ in FY 2011 |

| | | |
|---|---|---|
| Carbon fiber | Carbon fiber manufacture involves a high-temperature processing stage that consumes more energy than comparable manufacturing processes for conventional materials. However, when used in automobiles and aircraft, carbon fiber enables weight reductions that in turn facilitate gains in fuel efficiency, thus significantly easing the burden on the environment over the product's life cycle. | At the manufacturing stage, one metric ton of carbon fiber results in the emission of 20 t-CO ₂ but has the benefit of reducing emissions by 70 t- CO ₂ from automobiles and 1,400 t- CO ₂ from aircraft over a 10-year life cycle . If carbon fiber were used in all automobiles (42 million, excluding light motor vehicles) and airplanes (430 owned) in Japan, emissions would be reduced by 22.00 million t-CO ₂ . |
| Biomass fuel for automobiles | Plant-based bio-ethanol, which is carbon neutral in the Kyoto Protocol, is added to gasoline as bio-ETBE and sold as bio-gasoline. | 210,000 kl per year (crude oil equivalent) introduced in FY 2010 |
| High-efficiency boilers (Eco Cute) | These water heaters are based on a heat-pump system that uses CO ₂ as a cooling medium and heat recovered from the atmosphere as heat energy. | Cumulative units installed by the end of August 2011: 3.00 million units CO ₂ reductions: about 2.16 million t-CO ₂ per year |
| Natural gas cogeneration | A high-efficiency system using city gas as fuel to generate electricity and to reuse waste heat. | CO ₂ reductions of 12.70 million t-CO ₂ per year at FY 2011 year-end (sales of 4.54 million kW) |
| Fuel cells for residential use (Ene-Farm) | Highly efficient system that uses city gas to simultaneously produce electricity and hot water (including that for heating) for household use. | Emissions reduction of 48% compared to the use of conventional water heaters and electricity generated by thermal power plants (sales of about 19,000 units) |
| Double-glazed windows | Replacing residential single-pane glass windows with double-glazed ones boosts thermal insulation efficiency and enables some 40% cuts in air-conditioning costs. | As of FY 2011, double-glazed windows contributed to a reduction of 206,000 t-CO ₂ per year. The percentage of double-glazed glass windows used in relation to total window area is estimated at 92.3% for all newly built single-family housing and 65.7% for all new apartments. |

| | | |
|--|--|--|
| <p>In-house production of lightweight soft-drink bottles</p> | <p>Producing a higher percentage of PET bottles in-house cuts emissions attributable to PET bottle delivery and shipping operations.</p> <p>The use of lighter-weight packaging for bottles helps reduce emissions that occur at the bottle manufacturing and shipping stages.</p> | <p>Greater in-house production would reduce emissions by about 29,035 t-CO₂, which corresponds to emissions of about 261,000 trucks.</p> <p>Weight reductions would reduce emissions by about 6,584 t-CO₂ compared to 2010 (assuming 1.5 kg of CO₂ is released per kilogram of PET bottle material consumed).</p> |
| <p>Concrete pavements</p> | <p>Rolling resistance is 6% to 20% less with concrete pavement compared to asphalt pavement (as of FY 2006). Large vehicles will save 0.8% to 4.8% in fuel costs with concrete pavement compared to asphalt pavement.</p> | <p>If arterial roads (expressways and designated sections of national highways) are fully paved with concrete, emissions will be reduced about 270,000 to 1,610,000 t-CO₂ per year (average of 940,000 t-CO₂ per year).</p> |
| <p>Use of sewage sludge as material for cement</p> | <p>Sewage sludge and other waste products that are difficult to process and are generated in large quantities are being actively used as raw material for cement, and this is contributing to lower energy use in sewage sludge treatment for Japan as a whole.</p> | <p>Using sewage sludge as raw material has reduced energy consumption by 1,222×10⁶ MJ for Japan as a whole (corresponding to 21.3 MJ/t-cement). This is equivalent to a reduction in emissions of about 87,000 t-CO₂.</p> |
| <p>High-performance grooved copper tubes</p> | <p>Compared to the use of bare tubes, air conditioners with high-performance grooved copper tubes cause CO₂ emissions to increase 3.3 kg-CO₂ per unit in the manufacturing process, but emissions from the use of air conditioners can be reduced.</p> | <p>Assuming that air conditioners are in use 4,319 hours per year (JISC 9612) and that they have a life of 10 years, emissions will be reduced about 2,216 kg-CO₂ per unit compared to bare-tube units even when the difference in CO₂ emissions during manufacture is factored in.</p> |
| <p>Hybrid forklifts</p> | <p>By replacing gasoline-driven forklifts with hybrid ones, CO₂ emissions from the use of forklifts can be greatly reduced.</p> | <p>Use of hybrid forklifts reduces CO₂ emissions by up to 74% compared to gasoline-driven forklifts with equivalent load capacity.</p> |

| | | |
|---------------------------------|--|---|
| Lightweight paper and cardboard | Reducing the weight of paper and cardboard per unit area (by about 10% compared to conventional products made overseas) has contributed to reducing CO ₂ emissions during shipping. | Reducing the weight of paper and cardboard products by about 10% would cut CO ₂ emissions during cargo shipping by about 0.6%. As of FY 2010, lighter-weight paper and cardboard contributed to a reduction of about 500,000 t-CO ₂ per year in Japan. |
| Water-saving toilets | Sanitary ware products are used over significantly longer periods of time compared to the time required for production and disposal. The total amount of water flushed during the use phase of these products is enormous. Since the processes of generating water for flushing as well as treating sewage consume energy and emit CO ₂ , reducing the amount of water flushed helps cut CO ₂ emissions. | By replacing a conventional toilet that uses 13 liters per flush with a water-saving toilet that uses 6 liters, CO ₂ emissions can be cut by about 60% (a reduction of 26.7 kg- CO ₂ per year). |
| | | Mixing bubbles into shower water achieves a reduction of 132 kg-CO ₂ per year with no loss of showering comfort. |

(5) Support for national campaigns and the promotion of forest management activities

It is essential that each individual acts day-to-day with a keen awareness of the problem of climate change and adapt his or her lifestyle accordingly. To this end, it will be necessary to change people's attitudes and behavior through national campaigns so that they will use more energy-efficient products and environmentally friendly goods and services. Many companies actively pursued measures aimed at encouraging national campaigns, including the use of the Internet and the sponsorship of assorted events to provide consumers with more information on energy conservation as well as running environmental education programs for their own employees. The eco-car tax break, the eco-car subsidy, the eco-point program for household electrical appliances, and the housing eco-point program that were introduced in or after the spring of 2009 have helped promote the purchases of automobiles and household electrical appliances with

advanced energy-saving performance, as well as encouraging the construction of highly energy-efficient homes and renovations to realize such homes.

Along with strengthened measures to increase the energy efficiency of offices, stores, and other commercial operations and in distribution operations, Keidanren called for strengthened measures that will help expand national campaigns, such as having business leaders set an example by wearing casual summertime dress (“Cool Biz”), promoting the active use of highly energy-efficient equipment, and encouraging employees to keep environmental household account books.¹⁵

Reference: Examples of Environmental Household Account Book Programs Reported by the Industrial and Energy-Conversion Sectors

| Industry | Program |
|-------------------------------------|---|
| The Japan Gas Association | Out of 109 member companies, environmental household account books are being used by about 5,200 employee households. |
| The Japan Iron and Steel Federation | Energy-saving activities using environmental household account books were started in FY 2005. Member companies have strengthened such efforts as educational activities targeting all employees including group companies and the development of computerized environmental household account books using intranets. As a result, the number of participating households has remained over 20,000 since FY 2008. |
| Japan Chemical Industry Association | Participating employees of member companies total 6,785. |
| Japan Paper Association | Between April 2010 and March 2011, electricity, gas, and water usage was checked by stakeholder households to experience the use of environmental household account books and to understand the state of utility use. It was revealed that households were implementing such energy-saving measures as insulation (use of double-glazed windows), installation of high-efficiency water heaters (replacement with Eco-Jozu and Eco-Cute units), replacement of incandescent light bulbs with florescent light bulbs, installation of LEDs, installation of solar |

15. On June 14, 2011, Keidanren Chairman Hiromasa Yonekura issued a statement urging that member companies step up their efforts to prevent climate change by augmenting and achieving the goals of their Voluntary Action Plans on the Environment, participating in Keidanren’s Commitment to a Low Carbon Society, and encouraging clients, employees, and other stakeholders to become more actively involved.

| | |
|--|---|
| | panels, switching to high-efficiency air conditioners, and using power strips with on/off switches. |
|--|---|

In addition, a number of initiatives to protect forests and CO₂ sinks are being reported. These include the increased use of domestic lumber such as timber from thinning, maintenances of company-owned forests, and the promotion of afforestation projects both in Japan and abroad. As these examples illustrate, industry’s efforts against climate change have spread into various sectors (see “Reference: Circle of Widening Voluntary Efforts in the Commercial, Residential, Transportation, and Other Sectors” on page 9). Furthermore, the Japan Paper Association has the target “to increase owned or managed forests to 700,000 ha (an area approximately 11 times the size of Tokyo’s 23 wards)” as part of the industry’s Voluntary Action Plan targets along with goals for carbon and energy intensity improvements. As of fiscal 2011 year-end, the afforested areas they owned or managed totaled 691,000 ha domestically and overseas.

6. Efforts to make international contributions utilizing the technological capabilities of Japanese industry


(1) International comparisons of energy efficiency

Japanese industry has been a forerunner in energy-saving by launching efforts in the 1970s following the oil shocks. According to the international comparisons of energy efficiency conducted by participating industries as part of the Fiscal 2012 Follow-up, world-leading levels of energy efficiency have been achieved once again in participating industries that carried out comparisons (see chart on the next page and Attachment 6).


Climate change is a global problem, and it is vital that Japanese companies promote the spread of their advanced energy-saving and alternative energy technologies overseas and contribute to the reduction of greenhouse gas emissions on a global scale.

Reference: International Comparisons of Energy Efficiency in Industrial and Energy-Conversion Sectors


Energy required to produce 1kWh of electricity through thermal power generation (2009)




Energy required to produce 1 kl of oil products (2004)




Energy required to produce 1 ton of iron (2010)




Energy required to produce 1 ton of electrolytic caustic soda (2009)



Energy required to refine copper (2000)




Energy required in the aluminum plate rolling process (2000)




Energy-Saving Potential if Global Best Available Technologies (BAT) Were Introduced

Potential energy savings in pulp and paper industries if BAT were introduced (Unit: GJ/t)



Potential energy savings in cement industries if BAT were introduced (Unit: GJ/t)



(2) Overseas operations to reduce greenhouse gases based on the Kyoto Mechanisms

In the Fiscal 2012 Follow-up, many specific operations including alternative energy projects, waste heat recovery, and methane gas recovery in various regions of the world were reported along with the number of carbon credits expected to be generated from such Kyoto Mechanisms-based projects. Furthermore, many industrial associations and corporations have made financial contributions to domestic and international funds such as the Japan GHG Reduction Fund and the World Bank.

When the achievement of the targets is difficult by industry's reduction efforts alone, under the Voluntary Action Plan on the Environment, the industry may utilize supplementary means of the Kyoto Mechanisms such as credits from the Clean Development Mechanism (CDM) and Joint Implementation (JI) to achieve their targets.

As shown in the table below, some industry groups have made massive financial contributions to acquire credits through the Kyoto Mechanisms in order to meet their voluntary targets, despite having already achieved world-leading levels of energy efficiency.

Reference: Examples of Projects Reported by Participating Industries Aimed at Making International Contributions Utilizing the Kyoto Mechanisms

| Industry | Project outline | Credits earned/retired (unit: t-CO ₂) |
|---|--|---|
| The Federation of Electric Power Companies of Japan | <ul style="list-style-type: none"> • Expanding overseas projects within the framework of the Kyoto Protocol's JI or CDM, such as biomass power generation, heat efficiency improvement, and afforestation. • Financial contributions to various funds, including the World Bank carbon funds and the Japan Greenhouse Gas Reduction Fund, in which industries in Japan are participating as a concerted effort | Credits were retired each year as follows: <ul style="list-style-type: none"> • FY 2008: about 64.00 million • FY 2009: about 52.00 million • FY 2010: about 57.00 million • FY 2011: about 30.00 million |

| | | |
|--|--|--|
| The Japan Iron and Steel Federation | <ul style="list-style-type: none"> • Shandong Dongyue HFC23 decomposition project in China • Installation of waste heat recovery system at Qian'an coke plant in China • Electric power generation project using the waste heat of sinter cooling systems in the Philippines • Participation in various carbon funds | <ul style="list-style-type: none"> • 10.11 million • 210,000 • 55,000 |
| Petroleum Association of Japan | <ul style="list-style-type: none"> • Operations in Vietnam to capture and utilize gas released during oil drilling • Operations in Brazil to capture methane gas from landfill disposal sites • Hydroelectricity projects in China, etc. | <ul style="list-style-type: none"> • 680,000 per year • 660,000 per year • 320,000 per year |
| Japan Paper Association | <ul style="list-style-type: none"> • Afforestation project in New Zealand | |
| Japan Petroleum Development Association | <ul style="list-style-type: none"> • Project in China's Zhejiang Province to recover and decompose HFC23 gas generated as a byproduct during alternative CFC production | <ul style="list-style-type: none"> • About 31.58 million (total SPC credits acquired) |
| Japan Federation of Construction Contractors | <ul style="list-style-type: none"> • Promotion of CDM projects in developing countries, such as those for capturing methane gas at waste disposal sites and for power generation | — |
| The Federation of Pharmaceutical Manufacturers' Associations of Japan and Japan Pharmaceutical Manufacturers Association | -- | <ul style="list-style-type: none"> • About 24,485 (held as of FY 2011 year-end) |

Note: The above also includes efforts by individual companies.

7. Future Policies: From Voluntary Action Plans to Keidanren's Commitment to a Low Carbon Society

The Kyoto Protocol Target Achievement Plan that the government revised in March 2008 refers to the advantages of the Voluntary Action Plan on the Environment. It states that “it enables each entity to use its originality and ingenuity to select outstanding countermeasures, afford incentives for higher level of targets, and involve no procedural costs either for the government or for implementing entities. We expect that these advantages will be further enhanced in Voluntary Action Plans by businesses.” In the Kyoto Protocol Target Achievement Plan, the Voluntary Action Plan on the Environment is recognized for an instrumental role in facilitating the industrial sectors' efforts toward the achievement of targets.

As stated above, Keidanren has set a uniform target, namely, “to endeavor to reduce average CO₂ emissions from the industrial and energy-conversion sectors between fiscal 2008 and 2012 to below the level of fiscal 1990.” As well as continuing to urge all participating industries and companies to work steadily toward achieving this target, Keidanren will pursue the following specific initiatives: (1) development and diffusion of energy-efficient products and services; (2) establishment of numerical targets and the raising of target levels for energy-efficient activities at head offices and other office buildings of individual companies, (3) sharing of outstanding CO₂ emissions reduction schemes within the commercial and transportation sectors; (4) improvements in distribution efficiency through cross-industry collaborations, including coordination between distributors and their clients; (5) support for energy-efficiency activities at employees' households; (6) contribution to environmental education; (7) the promotion of forest improvement activities, and (8) support for global warming measures taken by small- and medium-sized companies and other entities using the domestic credit system. Through such initiatives, we will make efforts to achieve the uniform target despite the deterioration in electricity emission factors following the Great East Japan Earthquake.

To enhance the transparency and credibility of the Voluntary Action Plan on the Environment, in fiscal 2002 Keidanren established the Evaluation Committee for the Voluntary Action Plan on the Environment consisting of outside experts. This committee (1) ensures that the data reported by participating industries are aggregated appropriately, and (2) evaluates the overall Follow-up system from the perspective of enhancing its transparency and credibility (Attachment 7). The Evaluation Committee's

reports are published on the Keidanren website. Acting in response to points made by the Evaluation Committee, in the Fiscal 2012 Follow-up, Keidanren endeavored to further enhance its explanation of how the use of low-carbon products helps to reduce CO₂ emissions, and to identify the quantitative impact of the deterioration in electricity emission factors following the Great East Japan Earthquake. Keidanren will continue its efforts to enhance its Voluntary Action Plan, including addressing issues brought up by the Evaluation Committee.

From 2013, following the end of the first commitment period under the Kyoto Protocol, we will maintain a rigorous approach to compiling industry-specific action plans submitted in accordance with the core policies of Keidanren's Commitment to a Low Carbon Society announced in December 2009, and to reviewing industry initiatives on the basis of a transparent and credible plan-do-check-act (PDCA) cycle. To reinforce the PDCA cycle, review of the action plans has been expanded to include a third-party evaluation committee. This committee has already conducted reviews of targets set by 16 industries and published its report.

Keidanren's Commitment to a Low Carbon Society consists of the four pillars of (1) maximizing the introduction of best available low-carbon technologies in corporate activities, (2) developing and commercializing products and services that harness world-leading energy-saving technologies for consumers, (3) transferring technology and expertise to other countries, and (4) developing innovative technologies. In addition to voluntary reduction targets set by each industry, Keidanren will present information on potential for emissions reduction during the usage phase of energy-saving products and potential reductions that could be achieved by installing or supplying highly efficient Japanese products, technologies, expertise, and services overseas. Through such initiatives, we will contribute to reducing greenhouse gases on a global scale.

Looking back over the results of initiatives undertaken through Voluntary Action Plans, it is clear that proactive industry-led efforts in Japan contribute to curbing greenhouse gas emissions. The Japanese government is currently formulating a plan for global warming measures in 2013 and beyond, to be completed by the end of 2012. To create effective global warming measures, this plan should position Keidanren's Commitment to a Low Carbon Society as the key pillar for industry efforts. Conversely, a domestic emissions trading scheme should not be introduced, since it would run counter to global warming measures on a worldwide scale by leading to carbon leakage and diverting

resources that could otherwise be devoted to researching, developing, and introducing advanced technologies.

In order to support initiatives under Keidanren's Commitment to a Low Carbon Society, we urge the government to take truly effective steps to resolve the worldwide issue of global warming, in particular, by designing appropriate bilateral offset mechanisms to promote the widespread overseas use of Japanese products, technologies, and expertise, which attain world-class levels of energy efficiency, and by enhancing R&D tax incentives with a view to encouraging further research and development.

Trends in Industrial and Energy-Conversion Sectors

(10,000t-CO₂; 10,000kl, crude oil equivalents)

| Industry | ☆: target defined by the industry | target level | FY1990 | FY1997 | FY1998 | FY1999 | FY2000 | FY2001 | FY2002 | FY2003 | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | Compared to FY 1990(%) | Compared to FY 2010(%) | |
|--|---|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------------------|------------------------|--------|
| | | | | | | | | | | | | | | | | | | | | | |
| Federation of Electric Power Companies | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 27,500 | 29,000 | 28,300 | 30,400 | 31,500 | 31,000 | 34,000 | 36,100 | 36,200 | 37,300 | 36,500 | 41,700 | 33,200 | 30,100 | 31,700 | 40,900 | 49,000 | +48.7% | +29.0% |
| | CO ₂ emissions intensity (with credits) | ☆ | | | | | | | | | | | | | 0.89 | 0.84 | 0.84 | 1.14 | 0.84 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 1.06 | 0.99 | 0.99 | 1.22 | 1.06 | | |
| | Energy consumption | | 10,800 | 11,200 | 10,900 | 11,700 | 12,000 | 11,700 | 12,700 | 13,500 | 13,300 | 13,600 | 13,500 | 15,500 | 14,600 | 13,200 | 13,600 | 16,600 | 16,600 | +53.7% | +22.1% |
| | Energy consumption intensity | | | | | | | | | | | | | | 0.93 | 0.93 | 0.93 | 0.93 | 0.93 | | |
| | Production activity index | | | | | | | | | | | | | | 1.35 | 1.30 | 1.37 | 1.22 | 1.35 | | |
| | Portion attributed to power industry: figures are used in the 34-industries | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (with credits) | | | | | | | | | | | | | | 3,330 | 3,030 | 3,100 | 4,010 | 4,010 | +30.6% | +29.4% |
| | CO ₂ emissions (excluding credits) | | | 3,070 | 3,350 | 3,220 | 3,340 | 3,410 | 3,340 | 3,700 | 3,860 | 3,830 | 3,850 | 3,700 | 4,250 | 3,960 | 3,560 | 3,650 | 4,300 | 4,300 | +40.1% |
| Energy consumption | | | 1,210 | 1,300 | 1,240 | 1,280 | 1,300 | 1,260 | 1,380 | 1,440 | 1,410 | 1,410 | 1,370 | 1,580 | 1,470 | 1,330 | 1,320 | 1,360 | 1,360 | +12.4% | +3.0% |
| Petroleum Association of Japan | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 3,094 | 4,105 | 4,062 | 4,093 | 4,053 | 4,047 | 4,016 | 4,058 | 4,037 | 4,133 | 4,059 | 4,164 | 4,036 | 3,922 | 3,963 | 3,750 | 3,750 | +21.2% | -5.4% |
| | CO ₂ emissions intensity (with credits) | | | | | | | | | | | | | | 0.85 | 0.84 | 0.84 | 0.84 | 0.84 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.86 | 0.85 | 0.84 | 0.84 | 0.84 | | |
| | Energy consumption | | 1,287 | 1,705 | 1,670 | 1,675 | 1,661 | 1,657 | 1,650 | 1,665 | 1,665 | 1,714 | 1,682 | 1,725 | 1,688 | 1,633 | 1,651 | 1,556 | 1,556 | +20.9% | -5.7% |
| | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.86 | 0.84 | 0.84 | 0.84 | 0.84 | | |
| | Production activity index | | | | | | | | | | | | | | 1.53 | 1.50 | 1.52 | 1.44 | 1.53 | | |
| Japan Gas Association | CO ₂ emissions (with credits)*5 | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits)*5 | | 133 | 107 | 96 | 92 | 83 | 72 | 66 | 58 | 53 | 46 | 38 | 40 | 34 | 31 | 31 | 36 | 36 | -73.0% | +16.4% |
| | CO ₂ emissions intensity (with credits)*5 | | | | | | | | | | | | | | 0.11 | 0.11 | 0.10 | 0.11 | 0.11 | | |
| | CO ₂ emissions intensity (excluding credits)*5 | | | | | | | | | | | | | | 0.12 | 0.11 | 0.11 | 0.12 | 0.12 | | |
| | Energy consumption | | 66.5 | 55.3 | 50.6 | 48.1 | 43.9 | 38.5 | 34.8 | 29.8 | 28.1 | 24.8 | 21.1 | 21.3 | 20.1 | 19.2 | 19.1 | 18.8 | 18.8 | -71.7% | -1.8% |
| | Energy consumption intensity | | | | | | | | | | | | | | 0.13 | 0.13 | 0.12 | 0.12 | 0.12 | | |
| | Production activity index | | | | | | | | | | | | | | 2.25 | 2.21 | 2.33 | 2.38 | 2.25 | | |
| Japan Iron and Steel Federation | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 20,061 | 19,799 | 18,643 | 19,233 | 18,363 | 17,894 | 18,387 | 18,601 | 18,791 | 18,704 | 19,015 | 19,715 | 17,813 | 16,688 | 18,797 | 18,468 | 18,468 | -7.9% | -1.7% |
| | CO ₂ emissions intensity (with credits) | | | | | | | | | | | | | | 0.91 | 0.92 | 0.90 | 0.94 | 0.94 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.92 | 0.93 | 0.91 | 0.94 | 0.94 | | |
| | Energy consumption | ☆ | | | | | | | | | | | | | 5,568 | 5,207 | 5,869 | 5,708 | 5,708 | -9.2% | -2.7% |
| | Energy consumption intensity | | | | | | | | | | | | | | 0.91 | 0.93 | 0.91 | 0.93 | 0.93 | | |
| | Production activity index | | | | | | | | | | | | | | 0.97 | 0.90 | 1.03 | 0.98 | 0.97 | | |
| Japan Chemical Industry Association | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 6,320 | 6,938 | 6,692 | 6,957 | 6,945 | 6,611 | 6,744 | 6,809 | 6,885 | 6,769 | 6,721 | 6,711 | 6,085 | 5,920 | 6,119 | 6,101 | 6,101 | -3.5% | -0.3% |
| | CO ₂ emissions intensity (with credits) | | | | | | | | | | | | | | 0.83 | 0.79 | 0.76 | 0.83 | 0.83 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.86 | 0.81 | 0.79 | 0.84 | 0.84 | | |
| | Energy consumption | | 2,656 | 2,986 | 2,878 | 2,972 | 2,918 | 2,778 | 2,813 | 2,820 | 2,881 | 2,864 | 2,873 | 2,888 | 2,627 | 2,611 | 2,710 | 2,569 | 2,569 | -3.3% | -5.2% |
| | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.88 | 0.85 | 0.83 | 0.84 | 0.84 | | |
| | Production activity index | | | | | | | | | | | | | | 1.12 | 1.15 | 1.23 | 1.15 | 1.12 | | |
| Japan Paper Association | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 2,561 | 2,618 | 2,617 | 2,658 | 2,741 | 2,639 | 2,659 | 2,649 | 2,593 | 2,473 | 2,331 | 2,324 | 2,092 | 1,931 | 1,855 | 1,861 | 1,861 | -27.3% | +0.3% |
| | CO ₂ emissions intensity (with credits) | ☆ | | | | | | | | | | | | | 0.81 | 0.80 | 0.76 | 0.79 | 0.79 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.83 | 0.82 | 0.77 | 0.80 | 0.80 | | |
| | Energy consumption | | 954 | 963 | 960 | 971 | 988 | 943 | 947 | 934 | 914 | 880 | 839 | 834 | 762 | 700 | 680 | 654 | 654 | -31.5% | -3.8% |
| | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.79 | 0.78 | 0.75 | 0.75 | 0.75 | | |
| | Production activity index | | | | | | | | | | | | | | 1.01 | 0.94 | 0.95 | 0.92 | 1.01 | | |
| Cement Association of Japan | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 2,741 | 2,681 | 2,480 | 2,464 | 2,473 | 2,376 | 2,249 | 2,186 | 2,107 | 2,177 | 2,184 | 2,107 | 1,944 | 1,736 | 1,642 | 1,695 | 1,695 | -38.2% | +3.2% |
| | CO ₂ emissions intensity (with credits) | | | | | | | | | | | | | | 1.00 | 1.01 | 1.00 | 1.00 | 1.00 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 1.01 | 1.02 | 1.00 | 1.01 | 1.01 | | |
| | Energy consumption | | 861 | 823 | 756 | 747 | 745 | 715 | 674 | 652 | 630 | 651 | 656 | 628 | 584 | 521 | 495 | 505 | 505 | -41.4% | +2.1% |
| | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.96 | 0.97 | 0.96 | 0.95 | 0.95 | | |
| | Production activity index | | | | | | | | | | | | | | 0.71 | 0.63 | 0.60 | 0.62 | 0.71 | | |
| Japan Electrical Manufacturers' Association, Japan Electronics and INformation | CO ₂ emissions (with credits) | | | | | | | | | | | | | | | | | | | | |
| | CO ₂ emissions (excluding credits) | | 1,112 | 1,302 | 1,247 | 1,307 | 1,382 | 1,328 | 1,453 | 1,699 | 1,730 | 1,804 | 1,843 | 2,109 | 1,624 | 1,467 | 1,451 | 1,703 | 1,703 | +53.1% | +17.4% |

| Industry | (☆: target defined by the industry) | target level | FY1990 | FY1997 | FY1998 | FY1999 | FY2000 | FY2001 | FY2002 | FY2003 | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | Compared to FY 1990(%) | Compared to FY 2010(%) | |
|--|---|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------------------|------------------------|--------|
| | | | | | | | | | | | | | | | | | | | | | |
| Technology Industries Association, Communications and Information network Association of Japan, Japan Business Machine and Information System Industries Association | CO2 emissions intensity (with credits) | ☆ | -35% | 1 | 0.78 | 0.76 | 0.76 | 0.71 | 0.70 | 0.71 | 0.76 | 0.71 | 0.69 | 0.66 | 0.67 | 0.56 | 0.57 | 0.53 | 0.66 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.87 | 0.85 | 0.82 | 0.76 | 0.75 | 0.72 | 0.72 | 0.70 | 0.67 | 0.66 | 0.63 | 0.62 | 0.66 | 0.62 | 0.60 | | |
| | Energy consumption | | | 638 | 832 | 799 | 803 | 849 | 817 | 838 | 933 | 978 | 1,010 | 1,065 | 1,136 | 1,028 | 980 | 974 | 890 | +39.6% | -8.6% |
| | Energy consumption intensity | | | 1 | 0.87 | 0.85 | 0.82 | 0.76 | 0.75 | 0.72 | 0.72 | 0.70 | 0.67 | 0.66 | 0.63 | 0.62 | 0.66 | 0.62 | 0.60 | | |
| | Production activity index | | | 1 | 1.50 | 1.48 | 1.54 | 1.75 | 1.70 | 1.83 | 2.02 | 2.20 | 2.35 | 2.52 | 2.83 | 2.62 | 2.31 | 2.46 | 2.33 | | |
| Japan Federation of Construction Contractors | CO2 emissions (with credits) | | | 923 | 892 | 876 | 718 | 704 | 659 | 642 | 514 | 492 | 518 | 490 | 512 | 495 | 442 | 375 | 381 | -58.7% | +1.6% |
| | CO2 emissions (excluding credits) | | | 923 | 892 | 876 | 718 | 704 | 659 | 642 | 514 | 492 | 518 | 490 | 512 | 509 | 454 | 387 | 388 | -58.0% | +0.2% |
| | CO2 emissions intensity (with credits) | ☆ | -13% | 1 | 0.97 | 0.95 | 0.94 | 0.90 | 0.92 | 0.97 | 0.90 | 0.86 | 0.87 | 0.81 | 0.87 | 0.85 | 0.87 | 0.85 | 0.87 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.97 | 0.95 | 0.94 | 0.90 | 0.92 | 0.97 | 0.90 | 0.86 | 0.87 | 0.81 | 0.87 | 0.88 | 0.89 | 0.88 | 0.88 | | |
| | Energy consumption | | | 429 | 416 | 409 | 336 | 324 | 301 | 286 | 229 | 225 | 222 | 215 | 209 | 208 | 189 | 164 | 157 | -63.4% | -4.2% |
| Japan Automobile Manufacturers Association | CO2 emissions (with credits) | ☆ | -25% | 844 | 724 | 684 | 682 | 680 | 643 | 674 | 679 | 672 | 682 | 660 | 657 | 508 | 451 | 469 | 548 | -35.0% | +17.0% |
| | CO2 emissions (excluding credits) | | | 844 | 724 | 684 | 682 | 680 | 643 | 674 | 679 | 672 | 682 | 660 | 657 | 553 | 486 | 507 | 569 | -32.6% | +12.4% |
| | CO2 emissions intensity (with credits) | | | 1 | 0.91 | 0.94 | 0.96 | 0.90 | 0.83 | 0.79 | 0.80 | 0.76 | 0.72 | 0.64 | 0.60 | 0.56 | 0.59 | 0.58 | 0.67 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.91 | 0.94 | 0.96 | 0.90 | 0.83 | 0.79 | 0.80 | 0.76 | 0.72 | 0.64 | 0.60 | 0.61 | 0.64 | 0.63 | 0.70 | | |
| | Energy consumption | | | 435 | 400 | 381 | 367 | 354 | 336 | 339 | 333 | 337 | 343 | 338 | 337 | 289 | 265 | 275 | 277 | -36.4% | +0.7% |
| Japan Auto Parts Industries Association | CO2 emissions (with credits) | ☆ | -7% | 715 | 688 | 645 | 650 | 637 | 578 | 626 | 644 | 654 | 695 | 682 | 735 | 531 | 463 | 505 | 605 | -15.3% | +19.8% |
| | CO2 emissions (excluding credits) | | | 715 | 688 | 645 | 650 | 637 | 578 | 626 | 644 | 654 | 695 | 682 | 735 | 590 | 510 | 557 | 634 | -11.2% | +13.8% |
| | CO2 emissions intensity (with credits) | ☆ | -20% | 1 | 0.92 | 0.92 | 0.91 | 0.86 | 0.81 | 0.82 | 0.82 | 0.80 | 0.78 | 0.71 | 0.68 | 0.63 | 0.59 | 0.59 | 0.66 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.92 | 0.92 | 0.91 | 0.86 | 0.81 | 0.82 | 0.82 | 0.80 | 0.78 | 0.71 | 0.68 | 0.63 | 0.59 | 0.59 | 0.66 | | |
| | Energy consumption | | | 375 | 406 | 390 | 381 | 361 | 329 | 340 | 335 | 348 | 362 | 366 | 375 | 308 | 282 | 307 | 305 | -18.8% | -0.8% |
| Japan Federation of Housing Organizations | CO2 emissions (with credits) | ☆ | -20% | 519 | 549 | 507 | 517 | 506 | 494 | 472 | 442 | 427 | 409 | 415 | 373 | 368 | 259 | 256 | 259 | -50.0% | +1.5% |
| | CO2 emissions (excluding credits) | | | 519 | 549 | 507 | 517 | 506 | 494 | 472 | 442 | 427 | 409 | 415 | 373 | 368 | 259 | 256 | 259 | -50.0% | +1.5% |
| | CO2 emissions intensity (with credits) | | | 1 | 1.15 | 1.18 | 1.12 | 1.11 | 1.18 | 1.18 | 1.18 | 1.09 | 1.05 | 0.99 | 0.99 | 1.10 | 0.99 | 0.90 | 0.89 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 1.15 | 1.18 | 1.12 | 1.11 | 1.18 | 1.18 | 1.18 | 1.09 | 1.05 | 0.99 | 0.99 | 1.10 | 0.99 | 0.90 | 0.89 | | |
| | Energy consumption | | | 197 | 209 | 193 | 169 | 164 | 164 | 181 | 169 | 164 | 137 | 138 | 124 | 115 | 100 | 99 | 100 | -49.4% | +1.5% |
| Japan Mining Industry Association | CO2 emissions (with credits) | | | 486 | 483 | 481 | 494 | 505 | 503 | 502 | 516 | 510 | 497 | 482 | 491 | 433 | 426 | 438 | 460 | -5.5% | +5.0% |
| | CO2 emissions (excluding credits) | | | 486 | 483 | 481 | 494 | 505 | 503 | 502 | 516 | 510 | 497 | 482 | 491 | 463 | 452 | 466 | 474 | -2.5% | +1.8% |
| | CO2 emissions intensity (with credits) | | | 1 | 0.92 | 0.93 | 0.91 | 0.88 | 0.89 | 0.90 | 0.91 | 0.92 | 0.89 | 0.83 | 0.85 | 0.80 | 0.79 | 0.79 | 0.89 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.92 | 0.93 | 0.91 | 0.88 | 0.89 | 0.90 | 0.91 | 0.92 | 0.89 | 0.83 | 0.85 | 0.86 | 0.84 | 0.84 | 0.92 | | |
| | Energy consumption | | | 205 | 210 | 213 | 219 | 220 | 217 | 215 | 215 | 216 | 208 | 206 | 205 | 196 | 197 | 205 | 191 | -6.9% | -6.6% |
| Lime Manufacture Association | CO2 emissions (with credits) | ☆ | -10% | 354 | 310 | 272 | 293 | 302 | 275 | 292 | 299 | 300 | 306 | 312 | 327 | 272 | 239 | 263 | 229 | -35.2% | -12.6% |
| | CO2 emissions (excluding credits) | | | 354 | 310 | 272 | 293 | 302 | 275 | 292 | 299 | 300 | 306 | 312 | 327 | 276 | 242 | 266 | 231 | -34.7% | -13.0% |
| | CO2 emissions intensity (with credits) | | | 1 | 0.94 | 0.90 | 0.92 | 0.93 | 0.91 | 0.92 | 0.90 | 0.87 | 0.86 | 0.86 | 0.86 | 0.80 | 0.77 | 0.75 | 0.73 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.94 | 0.90 | 0.92 | 0.93 | 0.91 | 0.92 | 0.90 | 0.87 | 0.86 | 0.86 | 0.86 | 0.81 | 0.78 | 0.76 | 0.74 | | |
| | Energy consumption | ☆ | -10% | 121.8 | 108.2 | 95.9 | 103.0 | 104.7 | 95.4 | 99.9 | 100.8 | 101.3 | 104.5 | 107.0 | 112.0 | 96.5 | 86.4 | 94.5 | 81.9 | -32.8% | -13.4% |
| The Japan Rubber Manufacturers Association | CO2 emissions (with credits)*5 | | | 201 | 192 | 189 | 195 | 192 | 185 | 196 | 211 | 217 | 223 | 215 | 220 | 188 | 171 | 181 | 204 | +1.3% | +12.9% |
| | CO2 emissions (excluding credits)*5 | | | 201 | 192 | 189 | 195 | 192 | 185 | 196 | 211 | 217 | 223 | 215 | 220 | 201 | 181 | 192 | 210 | +4.3% | +9.6% |
| | CO2 emissions intensity (with credits) | | | 1 | 0.90 | 0.88 | 0.92 | 0.85 | 0.85 | 0.86 | 0.88 | 0.86 | 0.82 | 0.75 | 0.77 | 0.69 | 0.71 | 0.66 | 0.81 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.90 | 0.88 | 0.92 | 0.85 | 0.85 | 0.86 | 0.88 | 0.86 | 0.82 | 0.75 | 0.77 | 0.78 | 0.78 | 0.73 | 0.85 | | |
| | Energy consumption | | | 98.8 | 99.8 | 99.5 | 100.7 | 97.0 | 94.0 | 97.1 | 100.9 | 104.5 | 106.9 | 106.4 | 107.2 | 100.0 | 93.3 | 99.4 | 99.9 | +1.1% | +0.5% |
| The Federation of Pharmaceutical Manufacturers' Association of Japan | CO2 emissions (with credits) | ☆ | ±0% | 165 | 185 | 186 | 203 | 202 | 199 | 204 | 213 | 218 | 215 | 207 | 211 | 180 | 163 | 162 | 185 | +11.8% | +14.0% |
| | CO2 emissions (excluding credits) | | | 165 | 185 | 186 | 203 | 202 | 199 | 204 | 213 | 218 | 215 | 207 | 211 | 194 | 175 | 175 | 192 | +15.9% | +9.7% |
| | Production activity index | | | 1 | 1.01 | 1.00 | 0.99 | 1.06 | 1.02 | 1.09 | 1.14 | 1.17 | 1.21 | 1.23 | 1.23 | 1.12 | 0.97 | 1.11 | 1.12 | | |

| Industry | (☆:target defined by the industry) | target level | FY1990 | FY1997 | FY1998 | FY1999 | FY2000 | FY2001 | FY2002 | FY2003 | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | Compared to FY 1990(%) | Compared to FY 2010(%) | |
|---|---|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------------------|------------------------|--------|
| | | | | | | | | | | | | | | | | | | | | | |
| Japan Pharmaceutical Manufacturers Association | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.67 | 0.58 | 0.56 | 0.62 | | | |
| | CO2 emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.72 | 0.62 | 0.61 | 0.65 | | | |
| | Energy consumption | | 78.2 | 94.8 | 97.0 | 103 | 100 | 100 | 100 | 100 | 102 | 106 | 104 | 103 | 102 | 98 | 94 | 94 | 93 | +18.6% | -1.1% |
| | Energy consumption intensity | | 1 | 1.05 | 0.99 | 1.00 | 0.95 | 0.91 | 0.90 | 0.90 | 0.90 | 0.90 | 0.86 | 0.85 | 0.82 | 0.77 | 0.70 | 0.69 | 0.66 | | |
| | Production activity index | | 1 | 1.16 | 1.25 | 1.31 | 1.35 | 1.39 | 1.43 | 1.45 | 1.50 | 1.54 | 1.55 | 1.60 | 1.62 | 1.70 | 1.74 | 1.79 | | | |
| Flat Glass Association | CO2 emissions (with credits) | ☆ | -22% | | | | | | | | | | | | 119 | 106 | 111 | 114 | -36.2% | +2.2% | |
| | CO2 emissions (excluding credits) | | | 178 | 163 | 145 | 138 | 134 | 137 | 132 | 134 | 134 | 133 | 136 | 130 | 122 | 108 | 114 | 115 | -35.4% | +1.1% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 1.13 | 1.12 | 1.01 | 1.08 | | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 1.15 | 1.17 | 1.09 | 1.10 | 1.11 | 1.11 | 0.97 | 0.98 | 1.03 | 1.03 | 1.09 | 1.15 | 1.15 | 1.03 | 1.09 | | |
| | Energy consumption | ☆ | -21% | 71.4 | 65.0 | 58.8 | 55.4 | 53.8 | 55.1 | 52.3 | 52.2 | 52.3 | 51.7 | 53.5 | 50.5 | 48.2 | 43.2 | 45.5 | 44.5 | -37.6% | -2.1% |
| | Energy consumption intensity | | | 1 | 1.14 | 1.18 | 1.10 | 1.09 | 1.11 | 1.10 | 0.95 | 0.95 | 1.00 | 1.01 | 1.06 | 1.13 | 1.14 | 1.03 | 1.06 | | |
| | Production activity index | | | 1 | 0.80 | 0.70 | 0.71 | 0.69 | 0.69 | 0.67 | 0.77 | 0.77 | 0.72 | 0.74 | 0.67 | 0.60 | 0.53 | 0.62 | 0.59 | | |
| Japan Aluminum Association *4 | CO2 emissions (with credits) | | | | | | | | | | | | | | 126 | 117 | 122 | 132 | -10.8% | +8.0% | |
| | CO2 emissions (excluding credits) | | 148 | 162 | 152 | 161 | 163 | 155 | 161 | 165 | 163 | 160 | 154 | 156 | 135 | 125 | 131 | 137 | -7.8% | +4.5% | |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.77 | 0.74 | 0.77 | 0.89 | | | |
| | CO2 emissions intensity (excluding credits) | | | 0.93 | 0.93 | 0.93 | 0.92 | 0.95 | 0.95 | 0.93 | 0.92 | 0.95 | 0.89 | 0.91 | 0.87 | 0.86 | 0.83 | 0.93 | | | |
| | Energy consumption | | 73.4 | 84.5 | 79.8 | 83.1 | 80.8 | 76.8 | 78.4 | 78.6 | 79.1 | 77.3 | 77.2 | 78.0 | 69.2 | 66.5 | 69.5 | 66.0 | -10.0% | -5.0% | |
| | Energy consumption intensity | ☆ | -11% | 0.95 | 0.95 | 0.96 | 0.93 | 0.89 | 0.92 | 0.90 | 0.86 | 0.87 | 0.90 | 0.87 | 0.89 | 0.87 | 0.89 | 0.86 | 0.87 | | |
| | Production activity index | | cf. 95 | 1 | 1.16 | 1.08 | 1.15 | 1.18 | 1.08 | 1.13 | 1.18 | 1.18 | 1.12 | 1.14 | 1.14 | 1.04 | 0.96 | 1.05 | 0.98 | | |
| Brewers Association of Japan | CO2 emissions (with credits) | ☆ | -10% | | | | | | | | | | | | 60.0 | 56.0 | 52.8 | 53.2 | -52.7% | +0.8% | |
| | CO2 emissions (excluding credits) | | 112 | 121 | 117 | 114 | 108 | 104 | 99.8 | 94.5 | 89.4 | 87.3 | 84.8 | 78.4 | 62.9 | 58.3 | 55.0 | 54.3 | -51.7% | -1.2% | |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.57 | 0.54 | 0.52 | 0.54 | | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 0.99 | 0.95 | 0.92 | 0.88 | 0.85 | 0.84 | 0.84 | 0.80 | 0.80 | 0.78 | 0.73 | 0.60 | 0.56 | 0.54 | 0.55 | | | |
| | Energy consumption | | 53.8 | 60.1 | 60.2 | 58.2 | 54.2 | 53.3 | 49.3 | 45.0 | 43.7 | 41.9 | 41.0 | 36.9 | 33.1 | 31.3 | 29.5 | 27.4 | -49.1% | -7.2% | |
| | Energy consumption intensity | | 1 | 1.03 | 1.02 | 0.99 | 0.93 | 0.91 | 0.86 | 0.84 | 0.82 | 0.80 | 0.79 | 0.72 | 0.66 | 0.63 | 0.61 | 0.58 | | | |
| | Production activity index | | 1 | 1.09 | 1.09 | 1.10 | 1.09 | 1.09 | 1.06 | 1.00 | 1.00 | 0.98 | 0.97 | 0.96 | 0.93 | 0.92 | 0.90 | 0.88 | | | |
| Japan Electric Wire and Cable Makers' Association | CO2 emissions (with credits) | | | | | | | | | | | | | | 68.5 | 62.9 | 66.0 | 81.5 | -18.2% | +23.5% | |
| | CO2 emissions (excluding credits) | | 100 | 92.7 | 87.3 | 87.7 | 91.9 | 85.5 | 84.9 | 88.8 | 82.7 | 83.7 | 81.7 | 88.8 | 78.8 | 71.3 | 74.9 | 86.2 | -13.4% | +15.1% | |
| | CO2 emissions intensity (copper/aluminum) (with credits) | | | | | | | | | | | | | | 0.96 | 0.96 | 1.01 | 1.22 | | | |
| | CO2 emissions intensity (copper/aluminum) (excluding credits) | | 1 | 0.97 | 1.04 | 1.12 | 1.07 | 1.11 | 1.10 | 1.17 | 1.10 | 1.07 | 1.01 | 1.10 | 1.10 | 1.09 | 1.15 | 1.29 | | | |
| | CO2 emissions intensity (optical fiber)(with credits) | | | | | | | | | | | | | | 0.23 | 0.20 | 0.21 | 0.25 | | | |
| | CO2 emissions intensity (optical fiber) (excluding credits) | | 1 | 0.77 | 0.72 | 0.59 | 0.45 | 0.40 | 0.44 | 0.49 | 0.42 | 0.27 | 0.26 | 0.26 | 0.26 | 0.23 | 0.24 | 0.27 | | | |
| | Energy consumption(copper/aluminum) | ☆ | -29% | 57.5 | 55.1 | 52.8 | 50.0 | 48.9 | 43.7 | 43.0 | 42.8 | 41.9 | 42.2 | 41.8 | 41.6 | 37.0 | 35.1 | 37.0 | 35.4 | -38.4% | -4.3% |
| | Energy consumption (optical fiber) | | 1.3 | 6.0 | 5.6 | 6.9 | 8.3 | 9.6 | 7.1 | 6.7 | 5.4 | 4.6 | 5.5 | 6.1 | 6.1 | 6.4 | 6.4 | 6.6 | | | |
| | Energy consumption intensity(copper/aluminum) | | 1 | 1.07 | 1.17 | 1.21 | 1.12 | 1.16 | 1.10 | 1.10 | 1.06 | 1.01 | 0.99 | 1.00 | 1.01 | 1.07 | 1.12 | 1.07 | | | |
| | Energy consumption intensity (optical fiber) | ☆ | -78% | 1 | 0.85 | 0.81 | 0.63 | 0.46 | 0.40 | 0.42 | 0.43 | 0.39 | 0.24 | 0.24 | 0.22 | 0.22 | 0.21 | 0.22 | 0.20 | | |
| | Production activity index (copper/aluminum) | | 1 | 0.89 | 0.79 | 0.72 | 0.76 | 0.65 | 0.68 | 0.68 | 0.69 | 0.73 | 0.73 | 0.73 | 0.63 | 0.57 | 0.57 | 0.58 | | | |
| Production activity index (optical fiber) | | 1 | 5.38 | 5.29 | 8.33 | 13.82 | 18.02 | 13.03 | 11.75 | 10.62 | 14.37 | 17.98 | 21.16 | 20.54 | 23.59 | 22.03 | 24.95 | | | | |
| Japan Dairy Industry Association *4 | CO2 emissions (with credits) | | | | | | | | | | | | | | 105 | 101 | 101 | 107 | +27.8% | +6.2% | |
| | CO2 emissions (excluding credits) | | 83.6 | 93.4 | 95.9 | 100 | 98 | 100 | 91 | 109 | 106 | 108 | 108 | 112 | 111 | 106 | 106 | 110 | +31.0% | +3.6% | |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 1.07 | 1.06 | 1.05 | 1.08 | | | |
| | CO2 emissions intensity (excluding credits) | | 0.91 | 0.85 | 0.86 | 0.88 | 1 | 1.03 | 1.10 | 1.07 | 1.04 | 1.08 | 1.06 | 1.09 | 1.13 | 1.11 | 1.10 | 1.11 | | | |
| | Energy consumption | | 39.3 | 47.3 | 49.1 | 50.1 | 48.0 | 49.2 | 42.9 | 50.5 | 49.8 | 49.8 | 50.9 | 52.1 | 52.2 | 51.8 | 52.1 | 50.4 | +28.2% | -3.3% | |
| | Energy consumption intensity | ☆ | -0.5% | 0.89 | 0.89 | 0.91 | 0.91 | 1 | 1.04 | 1.05 | 1.01 | 1.00 | 1.02 | 1.02 | 1.04 | 1.08 | 1.10 | 1.12 | 1.05 | | |
| | Production activity index | | cf. 00 | 1 | 1.20 | 1.21 | 1.24 | 1.07 | 1.06 | 0.91 | 1.12 | 1.12 | 1.09 | 1.11 | 1.12 | 1.07 | 1.04 | 1.05 | 1.08 | | |
| Japan Brass Makers Association *4 | CO2 emissions (with credits) | | | | | | | | | | | | | | 48.0 | 46.5 | 50.0 | 56.8 | -13.3% | +13.5% | |
| | CO2 emissions (excluding credits) | | 65.5 | 57.2 | 50.7 | 54.1 | 56.4 | 47.9 | 53.6 | 56.6 | 57.2 | 58.0 | 58.4 | 62.5 | 53.6 | 51.3 | 55.3 | 59.5 | -9.1% | +7.6% | |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.90 | 0.91 | 0.86 | 1.03 | | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 0.88 | 0.86 | 0.93 | 0.85 | 0.94 | 0.89 | 0.97 | 0.88 | 0.91 | 0.88 | 0.99 | 1.01 | 1.00 | 0.95 | 1.08 | | | |
| | Energy consumption | | 37.0 | 35.4 | 31.6 | 32.7 | 33.3 | 28.2 | 30.3 | 30.7 | 31.9 | 31.7 | 32.5 | 32.9 | 28.7 | 29.0 | 31.1 | 29.1 | -21.2% | -6.4% | |
| | Energy consumption intensity | ☆ | -9.05% | 1 | 0.97 | 0.95 | 1.00 | 0.89 | 0.98 | 0.90 | 0.93 | 0.87 | 0.88 | 0.87 | 0.92 | 0.96 | 1.00 | 0.95 | 0.94 | | |
| | Production activity index | | cf. 95 | 1 | 0.99 | 0.90 | 0.89 | 1.02 | 0.78 | 0.92 | 0.89 | 1.00 | 0.98 | 1.01 | 0.96 | 0.81 | 0.78 | 0.89 | 0.84 | | |
| Japan Society of Industrial Machinery *4 | CO2 emissions (with credits) | ☆ | -12.2% | | | | | | | | | | | | 53.5 | 43.9 | 47.1 | 56.9 | -10.2% | +21.0% | |
| | CO2 emissions (excluding credits) | | cf. 97 | 63.4 | 63.0 | 59.4 | 56.1 | 55.5 | 55.5 | 58.4 | 60.2 | 61.3 | 64.4 | 62.9 | 64.7 | 60.3 | 49.1 | 52.7 | 60.0 | -5.4% | +13.8% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 1.00 | 0.92 | 1.01 | 1.17 | | | |

| Industry | (☆: target defined by the industry) | target level | FY1990 | FY1997 | FY1998 | FY1999 | FY2000 | FY2001 | FY2002 | FY2003 | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | Compared to FY 1990(%) | Compared to FY 2010(%) |
|---|---|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|------------------------|------------------------|
| | | | | | | | | | | | | | | | | | | | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 1.07 | 1.13 | 1.17 | 1.23 | 1.32 | 1.41 | 1.32 | 1.31 | 1.17 | 1.12 | 1.13 | 1.02 | 1.14 | 1.23 | | |
| | Energy consumption | | 33.1 | 35.9 | 34.3 | 31.9 | 30.1 | 30.0 | 30.0 | 29.8 | 31.0 | 32.0 | 32.2 | 31.3 | 29.7 | 25.6 | 27.5 | 26.8 | -19.0% | -2.5% |
| | Energy consumption intensity | | 1 | 1.08 | 1.13 | 1.11 | 1.17 | 1.20 | 1.22 | 1.18 | 1.14 | 1.05 | 0.95 | 0.98 | 0.98 | 0.94 | 1.04 | 0.97 | | |
| | Production activity index | | 1 | 0.88 | 0.79 | 0.75 | 0.72 | 0.70 | 0.68 | 0.73 | 0.78 | 0.85 | 0.92 | 0.85 | 0.85 | 0.76 | 0.74 | 0.77 | | |
| | | | | | | | | | | | | | | | | | | | | |
| Japan Bearing Industrial Association *4 | CO2 emissions (with credits) | | 60.1 | 56.5 | 52.5 | 55.3 | 59.2 | 54.8 | 61.0 | 66.5 | 69.6 | 73.0 | 71.5 | 79.8 | 60.4 | 51.2 | 61.9 | 77.9 | +29.7% | +26.0% |
| | CO2 emissions (excluding credits) | | | | | | | | | | | | | | 69.0 | 57.8 | 69.9 | 82.4 | +37.2% | +17.8% |
| | CO2 emissions intensity (with credits) | ☆ | | | | | | | | | | | | | 0.89 | 0.88 | 0.82 | 1.01 | | |
| | CO2 emissions intensity (excluding credits) | ☆ | | | | | | | | | | | | | 1.01 | 1.00 | 0.92 | 1.07 | | |
| | Energy consumption | | 35.2 | 35.8 | 34.2 | 34.7 | 35.7 | 33.1 | 35.3 | 36.6 | 39.4 | 40.4 | 40.7 | 42.3 | 37.3 | 33.3 | 40.2 | 40.1 | +13.9% | -0.2% |
| Japan Sugar Refiners' Association | Energy consumption intensity | | 1 | 1.03 | 0.99 | 0.92 | 0.96 | 0.95 | 0.90 | 0.89 | 0.87 | 0.85 | 0.83 | 0.86 | 0.91 | 0.84 | 0.82 | 0.82 | | |
| | Production activity index | | 1 | 0.93 | 0.98 | 1.08 | 0.96 | 1.04 | 1.13 | 1.24 | 1.29 | 1.34 | 1.43 | 1.20 | 1.03 | 1.34 | 1.37 | | | |
| | CO2 emissions (with credits) | ☆ | | | | | | | | | | | | | 42.7 | 40.2 | 39.1 | 43.3 | -25.3% | +10.9% |
| | CO2 emissions (excluding credits) | | 58.0 | 48.8 | 47.6 | 47.4 | 49.1 | 48.6 | 45.8 | 47.8 | 43.9 | 43.0 | 42.8 | 44.2 | 43.5 | 41.0 | 39.8 | 43.8 | -24.6% | +9.9% |
| | CO2 emissions intensity (with credits) | | 1 | 0.94 | 0.94 | 0.94 | 0.95 | 0.96 | 0.93 | 0.95 | 0.89 | 0.85 | 0.90 | 0.92 | 0.89 | 0.85 | 0.84 | 0.93 | | |
| Japan Sanitary Equipment Industry Association | CO2 emissions intensity (excluding credits) | | 1 | 0.81 | 0.82 | 0.83 | 0.80 | 0.83 | 0.80 | 0.78 | 0.73 | 0.69 | 0.62 | 0.56 | 0.55 | 0.56 | 0.44 | 0.51 | | |
| | Energy consumption | | 22.4 | 21.4 | 18.3 | 18.4 | 18.3 | 18.2 | 17.0 | 16.9 | 16.8 | 16.7 | 16.5 | 14.9 | 13.6 | 12.9 | 12.0 | 12.7 | -43.3% | +6.3% |
| | Energy consumption intensity | | 1 | 0.89 | 0.91 | 0.91 | 0.86 | 0.86 | 0.82 | 0.77 | 0.73 | 0.70 | 0.65 | 0.59 | 0.59 | 0.63 | 0.50 | 0.52 | | |
| | Production activity index | | 1 | 1.08 | 0.89 | 0.89 | 0.95 | 0.94 | 0.93 | 0.98 | 1.03 | 1.07 | 1.13 | 1.12 | 1.03 | 0.92 | 1.07 | 1.08 | | |
| | | | | | | | | | | | | | | | | | | | | |
| The Japan Soft Drinks Association | CO2 emissions (with credits) | | | | | | | | | | | | | | 100.6 | 99.2 | 100.7 | 109.9 | +139.6% | +9.2% |
| | CO2 emissions (excluding credits) | | 45.9 | 65.9 | 68.4 | 74.6 | 80.7 | 85.1 | 88.7 | 94.1 | 100.0 | 103.0 | 104.5 | 108.4 | 106.2 | 104.3 | 106.0 | 113.0 | +146.2% | +6.6% |
| | CO2 emissions intensity (with credits) | ☆ | | | | | | | | | | | | | 1.04 | 1.03 | 0.97 | 1.03 | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 0.98 | 0.99 | 1.02 | 1.07 | 1.04 | 1.09 | 1.10 | 1.08 | 1.17 | 1.14 | 1.11 | 1.10 | 1.08 | 1.02 | 1.05 | | |
| | Energy consumption | | 20.3 | 30.9 | 32.9 | 35.8 | 38.4 | 40.9 | 42.3 | 44.3 | 47.6 | 49.4 | 51.7 | 53.6 | 53.5 | 54.7 | 55.8 | 55.3 | +172.2% | -0.9% |
| Limestone Association of Japan | Energy consumption intensity | | 1 | 1.04 | 1.07 | 1.10 | 1.15 | 1.13 | 1.17 | 1.16 | 1.16 | 1.27 | 1.27 | 1.24 | 1.25 | 1.28 | 1.22 | 1.17 | | |
| | Production activity index | | 1 | 1.47 | 1.51 | 1.60 | 1.64 | 1.78 | 1.77 | 1.87 | 2.01 | 1.92 | 2.00 | 2.13 | 2.10 | 2.11 | 2.25 | 2.34 | | |
| | CO2 emissions (with credits) | | | | | | | | | | | | | | 31.3 | 27.4 | 27.6 | 31.9 | -29.6% | +15.4% |
| | CO2 emissions (excluding credits) | | 45.3 | 41.8 | 39.8 | 40.4 | 41.5 | 41.2 | 39.0 | 36.4 | 35.5 | 36.2 | 35.6 | 36.8 | 33.8 | 29.3 | 29.6 | 33.0 | -27.2% | +11.3% |
| | CO2 emissions intensity (with credits) | | 1 | 0.91 | 0.95 | 0.98 | 0.98 | 1.02 | 0.95 | 0.97 | 0.96 | 0.95 | 0.93 | 0.98 | 0.91 | 0.91 | 0.90 | 0.90 | | |
| Japan Machine Tool Builders' Association | CO2 emissions intensity (excluding credits) | | 1 | 0.91 | 0.95 | 0.98 | 0.98 | 1.02 | 0.95 | 0.97 | 0.96 | 0.95 | 0.93 | 0.98 | 0.98 | 0.97 | 0.97 | 1.06 | | |
| | Energy consumption | | 22.6 | 22.0 | 21.1 | 20.9 | 20.9 | 20.6 | 19.0 | 17.2 | 17.1 | 17.1 | 17.1 | 16.9 | 15.7 | 14.0 | 14.2 | 14.3 | -36.8% | +0.3% |
| | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.92 | 0.93 | 0.93 | 0.93 | | |
| | Production activity index | | 1 | 1.02 | 0.93 | 0.91 | 0.94 | 0.92 | 0.91 | 0.82 | 0.81 | 0.84 | 0.85 | 0.83 | 0.76 | 0.67 | 0.68 | 0.68 | | |
| | | | | | | | | | | | | | | | | | | | | |
| Flour Millers Association | CO2 emissions (with credits) | | | | | | | | | | | | | | 25.4 | 15.9 | 21.0 | 27.3 | +19.1% | +30.0% |
| | CO2 emissions (excluding credits) | | 22.9 | 20.8 | 22.8 | 20.0 | 20.6 | 19.4 | 18.4 | 20.3 | 22.6 | 24.9 | 26.2 | 30.5 | 29.2 | 18.0 | 23.9 | 29.0 | +26.4% | +21.5% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.79 | 1.33 | 1.02 | 1.17 | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 1.00 | 1.14 | 1.02 | 1.02 | 1.27 | 1.16 | 1.03 | 0.90 | 0.84 | 0.87 | 0.90 | 1.50 | 1.15 | 1.25 | | | |
| | Energy consumption | ☆ | -6% | 11.2 | 11.2 | 12.7 | 10.7 | 10.6 | 9.9 | 8.9 | 9.4 | 10.5 | 11.3 | 12.0 | 13.6 | 13.6 | 8.8 | 11.6 | 12.3 | +10.1% |
| The Shipbuilders' Association of Japan | Energy consumption intensity | ☆ | | | | | | | | | | | | | 0.76 | 1.33 | 1.01 | 1.29 | | |
| | Production activity index | | 1 | 1.00 | 1.10 | 0.85 | 0.98 | 0.92 | 0.69 | 0.85 | 1.06 | 1.33 | 1.50 | 1.67 | 1.55 | 0.57 | 0.99 | 1.11 | | |
| | CO2 emissions (with credits) | | | | | | | | | | | | | | 18.5 | 17.2 | 17.8 | 24.0 | +42.2% | +35.1% |
| | CO2 emissions (excluding credits) | | 16.9 | 18.6 | 18.0 | 18.6 | 19.1 | 18.9 | 20.3 | 22.5 | 21.3 | 21.2 | 21.1 | 22.9 | 21.7 | 20.1 | 20.7 | 25.7 | +52.0% | +23.9% |
| | CO2 emissions intensity (with credits) | ☆ | | | | | | | | | | | | | 0.96 | 0.89 | 0.89 | 1.20 | | |
| The Cooperative Association of Japan | CO2 emissions intensity (excluding credits) | | 1 | 1.00 | 0.93 | 0.95 | 0.97 | 0.96 | 1.03 | 1.12 | 0.99 | 1.07 | 1.08 | 1.16 | 1.13 | 1.04 | 1.04 | 1.29 | | |
| | Energy consumption | | 10.8 | 12.6 | 12.9 | 12.7 | 12.5 | 12.4 | 12.5 | 13.0 | 12.7 | 12.3 | 12.5 | 12.6 | 12.2 | 12.1 | 12.4 | 12.6 | +16.8% | +1.4% |
| | Energy consumption intensity | | 1 | 1.06 | 1.04 | 1.02 | 0.99 | 0.98 | 1.00 | 1.02 | 0.99 | 0.98 | 1.00 | 1.00 | 0.99 | 0.98 | 0.98 | 0.99 | | |
| | Production activity index | | 1 | 1.10 | 1.15 | 1.16 | 1.17 | 1.16 | 1.16 | 1.19 | 1.17 | 1.17 | 1.16 | 1.17 | 1.14 | 1.14 | 1.18 | 1.18 | | |
| | | | | | | | | | | | | | | | | | | | | |
| The Shipbuilders' Association of Japan | CO2 emissions (with credits) | | | | | | | | | | | | | | 30.1 | 27.6 | 28.4 | 40.2 | +180.7% | +41.5% |
| The Cooperative Association of Japan | CO2 emissions (excluding credits) | | 14.3 | | | | 18.1 | 17.8 | 24.1 | 25.8 | 26.5 | 28.6 | 30.7 | 35.9 | 32.4 | 33.4 | 43.1 | +201.1% | +28.9% | |

| Industry | (☆:target defined by the industry) | target level | FY1990 | FY1997 | FY1998 | FY1999 | FY2000 | FY2001 | FY2002 | FY2003 | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | Compared to FY 1990(%) | Compared to FY 2010(%) | |
|---|---|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------------------|------------------------|--------|
| | | | | | | | | | | | | | | | | | | | | | |
| Shipbuilders | CO2 emissions intensity (with credits) | | | | | | 0.73 | 0.75 | 1.00 | 0.98 | 0.84 | 0.85 | 0.84 | 0.92 | 0.79 | 0.67 | 0.68 | 1.01 | | | |
| | CO2 emissions intensity (excluding credits) | | 1 | | | | | | | | | | | | 0.94 | 0.79 | 0.81 | 1.09 | | | |
| | Energy consumption | | 9.4 | | | | 12.6 | 12.3 | 15.6 | 15.5 | 16.5 | 17.1 | 18.9 | 19.8 | 20.4 | 19.9 | 20.4 | 21.3 | +126.8% | +4.3% | |
| | Energy consumption intensity | ☆ | -10% | 1 | | | 0.87 | 0.89 | 0.94 | 0.96 | 0.90 | 0.92 | 0.94 | 0.95 | 0.94 | 0.90 | 0.87 | 0.93 | | | |
| | Production activity index | | 1 | | | | 1.74 | 1.66 | 1.68 | 1.84 | 2.20 | 2.34 | 2.57 | 2.70 | 2.65 | 2.87 | 2.90 | 2.77 | | | |
| Japan Industry Vehicles Association | CO2 emissions (with credits) | ☆ | -10% | | | | | | | | | | | | 5.7 | 3.8 | 4.2 | 5.2 | -15.1% | +24.9% | |
| | CO2 emissions (excluding credits) | | | 6.2 | 6.1 | 5.7 | 6.1 | 6.1 | 5.4 | 5.7 | 6.0 | 6.1 | 6.6 | 6.5 | 7.3 | 6.2 | 4.1 | 4.6 | 5.5 | -11.2% | +19.8% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.99 | 1.25 | 1.00 | 1.13 | | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 1.22 | 1.47 | 1.53 | 1.36 | 1.33 | 1.40 | 1.37 | 1.21 | 1.15 | 1.05 | 1.04 | 1.08 | 1.35 | 1.09 | 1.18 | | |
| | Energy consumption | | | 3.3 | 3.5 | 3.3 | 3.4 | 3.4 | 3.0 | 3.1 | 3.2 | 3.3 | 3.5 | 3.5 | 3.8 | 3.2 | 2.3 | 2.5 | 2.7 | -18.1% | +5.6% |
| | Energy consumption intensity | | | 1 | 1.33 | 1.60 | 1.61 | 1.43 | 1.42 | 1.44 | 1.37 | 1.23 | 1.15 | 1.07 | 1.02 | 1.06 | 1.40 | 1.15 | 1.09 | | |
| | Production activity index | | | 1 | 0.81 | 0.63 | 0.65 | 0.72 | 0.65 | 0.66 | 0.71 | 0.82 | 0.93 | 1.00 | 1.13 | 0.93 | 0.50 | 0.68 | 0.75 | | |
| Japan Association of Rolling Stock Industries | CO2 emissions (with credits) | ☆ | -8% | | | | | | | | | | | | 3.3 | 2.9 | 2.9 | 3.2 | -25.7% | +11.3% | |
| | CO2 emissions intensity (excluding credits) | | | 4.3 | 3.0 | 2.9 | 3.0 | 2.9 | 2.7 | 2.9 | 3.1 | 3.1 | 3.4 | 3.5 | 4.0 | 3.7 | 3.3 | 3.2 | 3.4 | -21.8% | +4.1% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.48 | 0.38 | 0.42 | 0.51 | | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.76 | 0.74 | 0.67 | 0.66 | 0.66 | 0.66 | 0.76 | 0.48 | 0.55 | 0.50 | 0.60 | 0.55 | 0.42 | 0.47 | 0.54 | | |
| | Energy consumption | | | 2.4 | 1.8 | 1.8 | 1.8 | 1.7 | 1.6 | 1.7 | 1.7 | 1.8 | 1.9 | 2.0 | 2.1 | 2.0 | 1.9 | 1.8 | 1.6 | -31.4% | -11.6% |
| | Energy consumption intensity | | | 1 | 0.83 | 0.83 | 0.74 | 0.70 | 0.71 | 0.68 | 0.76 | 0.49 | 0.55 | 0.51 | 0.57 | 0.53 | 0.43 | 0.49 | 0.48 | | |
| | Production activity index | | | 1 | 0.91 | 0.91 | 1.04 | 1.02 | 0.96 | 1.04 | 0.93 | 1.51 | 1.43 | 1.63 | 1.55 | 1.58 | 1.80 | 1.59 | 1.44 | | |
| Japan Petroleum Development Association | CO2 emissions (with credits) | | | | | | | | | | | | | | 61.9 | 63.1 | 57.1 | 56.9 | +156.1% | -0.2% | |
| | CO2 emissions (excluding credits) | | | 22.2 | 27.0 | 25.4 | 24.4 | 29.3 | 29.0 | 35.2 | 38.1 | 33.7 | 39.1 | 44.9 | 59.0 | 62.4 | 63.6 | 57.6 | 57.2 | +157.5% | -0.7% |
| | CO2 emissions intensity (with credits) | ☆ | -20% | | | | | | | | | | | | | 0.78 | 0.84 | 0.82 | 0.77 | | |
| | CO2 emissions intensity (excluding credits) | | | 1 | 0.83 | 0.79 | 0.74 | 0.85 | 0.86 | 1.02 | 1.06 | 0.75 | 0.79 | 0.85 | 0.89 | 0.80 | 0.85 | 0.84 | 0.78 | | |
| | Energy consumption | | | 6.0 | 6.8 | 6.9 | 6.4 | 6.9 | 6.3 | 7.0 | 6.6 | 7.0 | 8.4 | 9.0 | 10.2 | 9.7 | 9.6 | 9.4 | 9.9 | +65.3% | +4.3% |
| | Energy consumption intensity | | | 1 | 0.90 | 0.93 | 0.87 | 0.89 | 0.81 | 0.86 | 0.74 | 0.76 | 0.80 | 0.81 | 0.81 | 0.77 | 0.81 | 0.86 | 0.90 | | |
| | Production activity index | | | 1 | 1.28 | 1.25 | 1.23 | 1.31 | 1.30 | 1.38 | 1.50 | 1.55 | 1.75 | 1.86 | 2.12 | 2.11 | 2.00 | 1.85 | 1.84 | | |
| Emissions from industrial processes *1 | CO2 emissions | | | 6,208 | 6,067 | 5,436 | 5,437 | 5,489 | 5,317 | 5,192 | 5,033 | 5,020 | 5,148 | 5,218 | 5,045 | 4,660 | 4,178 | 4,233 | 4,220 | | |
| Revisions *2 | CO2 emissions (with credits) | | | | | | | | | | | | | | -125 | -116 | -110 | -142 | | | |
| | CO2 emissions (excluding credits) | | | -69 | -119 | -113 | -102 | -107 | -108 | -122 | -142 | -143 | -144 | -148 | -176 | -157 | -140 | -137 | -153 | | |
| | Energy consumption | | | -56 | -71 | -59 | -60 | -97 | -91 | -76 | -82 | -87 | -98 | -104 | -112 | -106 | -103 | -104 | -95 | | |
| Total | CO2 emissions (with credits) | | | | | | | | | | | | | | 45,074 | 42,012 | 44,310 | 45,426 | -10.1% | +2.5% | |
| | CO2 emissions (excluding credits) | | | 50,534 | 51,954 | 49,244 | 50,266 | 49,630 | 48,099 | 49,009 | 49,434 | 49,487 | 49,612 | 49,529 | 50,965 | 46,627 | 43,278 | 45,675 | 46,156 | -8.7% | +1.1% |
| | Energy consumption *3 | | | 16,437 | 17,405 | 16,640 | 16,832 | 16,532 | 15,951 | 16,227 | 16,357 | 16,496 | 16,506 | 16,589 | 17,062 | 15,662 | 14,785 | 15,553 | 15,056 | -8.4% | -3.2% |

| Industries | (☆: target defined by the industry) | target level | FY 1990 | FY 1997 | FY 1998 | FY 1999 | FY 2000 | FY 2001 | FY 2002 | FY 2003 | FY 2004 | FY 2005 | FY 2006 | FY 2007 | FY 2008 | FY 2009 | FY 2010 | FY 2011 | Compared to FY 1990(%) | Compared to FY 2010(%) |
|--|---|--------------|--|------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------------------|------------------------|
| | | | Japan Association of Refrigerated Warehouses | CO2 emissions (with credits) | | | | | | | | | | | | | 64.4 | 58.3 | 61.1 | 79.1 |
| | CO2 emissions (excluding credits) | | 55.2 | 57.4 | 57.6 | 61.1 | 60.9 | 61.9 | 65.9 | 69.9 | 69.8 | 73.9 | 71.3 | 77.3 | 76.7 | 68.4 | 71.9 | 84.8 | +53.5% | +17.9% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.85 | 0.76 | 0.79 | 1.06 | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 0.82 | 0.80 | 0.84 | 0.83 | 0.85 | 0.91 | 0.96 | 0.96 | 1.00 | 0.97 | 1.03 | 1.02 | 0.89 | 0.93 | 1.14 | | |
| | Energy consumption | | 36.2 | 43.1 | 44.6 | 44.7 | 42.2 | 42.9 | 42.5 | 42.0 | 43.3 | 44.4 | 44.0 | 43.2 | 43.6 | 42.0 | 43.9 | 41.9 | +15.7% | -4.6% |
| | Energy consumption intensity ☆ | -8% | 1 | 0.94 | 0.95 | 0.93 | 0.88 | 0.90 | 0.89 | 0.88 | 0.91 | 0.92 | 0.91 | 0.88 | 0.88 | 0.84 | 0.87 | 0.86 | | |
| | Production activity index | | 1 | 1.27 | 1.30 | 1.32 | 1.32 | 1.32 | 1.31 | 1.32 | 1.31 | 1.33 | 1.33 | 1.35 | 1.37 | 1.39 | 1.40 | 1.35 | | |
| Japan LP Gas Association | CO2 emissions (with credits) | | | | | | | | | | | | | | 2.0 | 1.8 | 1.8 | 2.4 | +10.3% | +33.1% |
| | CO2 emissions (excluding credits) | | 2.2 | | | | | | | 2.4 | 2.5 | 2.4 | 2.5 | 2.4 | 2.6 | 2.3 | 2.1 | 2.6 | +18.3% | +21.2% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.87 | 0.83 | 0.84 | 1.10 | | |
| | CO2 emissions intensity (excluding credits) | | 1 | | | | | | 0.93 | 0.97 | 0.97 | 1.00 | 0.98 | 1.07 | 1.04 | 0.98 | 0.99 | 1.18 | | |
| | Energy consumption | | 1.4 | | | | | | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.3 | 1.3 | 1.3 | 1.3 | -10.9% | -1.9% |
| | Energy consumption intensity ☆ | -7% | 1 | | | | | | 0.92 | 0.89 | 0.92 | 0.91 | 0.92 | 0.91 | 0.90 | 0.92 | 0.92 | 0.89 | | |
| | Production activity index | | 1 | | | | | | 1.16 | 1.16 | 1.12 | 1.12 | 1.12 | 1.12 | 1.03 | 0.97 | 0.99 | 1.00 | | |
| Japanese Bankers Association *7 | CO2 emissions (with credits) | | | | | | | | | | | | | | 48.2 | 43.2 | 43.2 | 51.9 | -4.8% | 20.1% |
| | CO2 emissions (excluding credits) | | cf. 00 | | | | 54.5 | 55.0 | 56.5 | 58.7 | 56.2 | 55.3 | 53.8 | 60.5 | 57.4 | 50.8 | 50.9 | 55.7 | 2.2% | 9.4% |
| | Energy consumption ☆ | -12% | | | | | 37.8 | 38.0 | 36.5 | 35.2 | 34.9 | 33.2 | 33.2 | 33.8 | 32.7 | 31.2 | 31.1 | 27.5 | -27.2% | -11.5% |
| The Real Estate Companies Association of Japan | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.83 | 0.76 | 0.75 | 0.85 | | |
| | CO2 emissions intensity (excluding credits) | | 1 | 0.86 | 0.88 | 0.86 | 1.01 | 0.84 | 0.94 | 0.97 | 0.98 | 1.03 | 0.93 | 1.04 | 0.99 | 0.89 | 0.89 | 0.91 | | |
| | Energy consumption ☆ | -5% | 1 | 0.97 | 1.03 | 0.94 | 1.07 | 0.90 | 0.95 | 0.94 | 0.97 | 1.03 | 0.95 | 0.98 | 0.95 | 0.91 | 0.91 | 0.81 | | |
| The General Insurance Association of Japan *7 | CO2 emissions (with credits) | | | | | | | | | | | | | | 3.3 | 2.9 | 2.9 | 3.0 | -11.1% | 5.4% |
| | CO2 emissions (excluding credits) | | cf. 00 | | | | 3.4 | 4.3 | 4.1 | 4.1 | 3.7 | 3.7 | 3.6 | 3.9 | 3.8 | 3.3 | 3.2 | 3.2 | -6.1% | -1.5% |
| | Energy consumption ☆ | -18% | | | | | 2.3 | 2.6 | 2.4 | 2.3 | 2.2 | 2.1 | 2.1 | 2.1 | 2.0 | 1.9 | 1.8 | 1.5 | -33.3% | -16.8% |
| The Life Insurance Association of Japan *7 | CO2 emissions (with credits) | | | | | | | | | | | | | | 10.8 | 10.0 | 10.1 | 12.1 | 5.4% | 19.3% |
| | CO2 emissions (excluding credits) | | cf. 06 | | | | | | | | 11.4 | 11.7 | 11.5 | 13.0 | 12.7 | 11.6 | 11.7 | 12.9 | 12.3% | 10.0% |
| | Energy consumption ☆ | -2% | | | | | | | | | 6.9 | 6.8 | 6.9 | 7.1 | 7.1 | 6.9 | 6.9 | 6.3 | -8.6% | -9.2% |
| NTT Group | CO2 emissions (with credits) | | | | | | | | | | | | | | 313 | 298 | 302 | 398 | 211.3% | 31.9% |
| | CO2 emissions (excluding credits) | | 128 | 157 | 162 | 180 | 214 | 230 | 275 | 312 | 310 | 330 | 341 | 370 | 369 | 346 | 351 | 416 | 224.9% | 18.5% |
| | CO2 emissions intensity (with credits) ☆ | -35% | 1 | 0.81 | 0.82 | 0.85 | 0.91 | 0.96 | 1.23 | 1.37 | 1.40 | 1.50 | 1.55 | 1.69 | 1.47 | 1.43 | 1.43 | 1.85 | | |
| | CO2 emissions intensity (excluding credits) | | | | | | | | | | | | | | 1.73 | 1.66 | 1.66 | 1.93 | | |
| | Energy consumption | | 84 | 118 | 126 | 132 | 144 | 155 | 172 | 182 | 188 | 194 | 206 | 204 | 207 | 208 | 210 | 209 | 149.3% | -0.6% |
| | Energy consumption intensity | | 1.00 | 0.93 | 0.97 | 0.94 | 0.94 | 0.99 | 1.17 | 1.22 | 1.29 | 1.35 | 1.43 | 1.43 | 1.48 | 1.53 | 1.52 | 1.48 | | |
| | Production activity index | | 1 | 1.51 | 1.56 | 1.67 | 1.83 | 1.87 | 1.75 | 1.77 | 1.73 | 1.72 | 1.72 | 1.71 | 1.67 | 1.63 | 1.65 | 1.68 | | |
| KDDI *7 | CO2 emissions (with credits) ☆ | 1.52Mt | | | | | | | | | | | | | 64.2 | 67.2 | 63.2 | 94.1 | 122.0% | 48.9% |
| | CO2 emissions (excluding credits) | | | | | | | | | 42.4 | 42.6 | 53.5 | 64.0 | 75.4 | 76.5 | 78.9 | 74.4 | 100.9 | 138.1% | 35.7% |
| | Energy consumption | | | | | | | | | 25.4 | 26.4 | 32.0 | 39.5 | 42.1 | 43.5 | 48.4 | 45.4 | 49.8 | 96.2% | 9.8% |
| | Production activity index | | | | | | | | | 1.00 | 1.09 | 1.23 | 1.39 | 1.48 | 1.41 | 1.37 | 1.34 | 1.40 | | |
| Japan Foreign Trade Council, Inc. *7 | CO2 emissions (with credits) ☆ | 0.035Mt | | | | | | | | | | | | | 3.7 | 3.5 | 3.5 | 3.9 | -33.3% | 11.9% |
| | CO2 emissions (excluding credits) | | | | 5.8 | 5.9 | 5.6 | 5.5 | 5.6 | 6.3 | 5.5 | 4.6 | 4.3 | 4.6 | 4.4 | 4.1 | 4.1 | 4.2 | -28.6% | 2.4% |
| | Energy consumption | | | | 4.4 | 4.2 | 3.8 | 3.7 | 3.6 | 3.7 | 3.3 | 2.7 | 2.6 | 2.6 | 2.5 | 2.5 | 2.5 | 2.1 | -53.0% | -16.5% |
| Japan Federation of Printing Industries *7 | CO2 emissions (with credits) ☆ | -7.3% | | | | | | | | | | | | | 114.3 | 105.4 | 106.4 | 127.2 | 2.3% | 19.5% |
| | CO2 emissions (excluding credits) | | | | | | | | | | | 124.3 | 123.6 | 131.0 | 126.9 | 116.0 | 117.5 | 133.4 | 7.3% | 13.5% |
| | CO2 emissions intensity (with credits) | | | | | | | | | | | | | | 0.83 | 0.76 | 0.78 | 0.95 | | |
| | CO2 emissions intensity (excluding credits) | | | | | | | | | | | 1.00 | 0.96 | 0.98 | 0.92 | 0.84 | 0.87 | 1.00 | | |
| | Energy consumption | | | | | | | | | | | 68.6 | 69.4 | 69.7 | 68.5 | 66.0 | 66.7 | 66.0 | -3.8% | -1.1% |
| | Energy consumption intensity | | | | | | | | | | | 1.00 | 0.98 | 0.94 | 0.90 | 0.87 | 0.89 | 0.89 | | |
| | Production activity index | | | | | | | | | | | 1.00 | 1.03 | 1.08 | 1.11 | 1.11 | 1.09 | 1.08 | | |

Transportation Sector

(10,000t-CO₂: 10,000kl. crude oil equivalents)

| Industries | (☆: target defined by the industry) | target level | FY 1990 | FY 1997 | FY 1998 | FY 1999 | FY 2000 | FY 2001 | FY 2002 | FY 2003 | FY 2004 | FY 2005 | FY 2006 | FY 2007 | FY 2008 | FY 2009 | FY 2010 | FY 2011 | Compared to FY 1990(%) | Compared to FY 2010 (%) |
|---|---|--------------|--|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------------------|-------------------------|
| | | | The Scheduled Airlines Associations of Japan | CO ₂ emissions intensity (with credits) ☆ | -13.5% | 1 | 0.91 | 0.90 | 0.89 | 0.90 | 0.89 | 0.87 | 0.89 | 0.88 | 0.88 | 0.88 | 0.87 | 0.85 | 0.84 | 0.81 |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.85 | 0.84 | 0.81 | 0.82 | | |
| The Japanese Shipowners' Association | CO ₂ emissions (with credits) | | | | | | | | | | | | | | 6,365 | 5,762 | 5,780 | 5,685 | 47.2% | -1.7% |
| | CO ₂ emissions (excluding credits) | | 3,862 | 4,279 | 4,366 | 4,505 | 4,708 | 4,562 | 4,583 | 4,984 | 5,262 | 5,585 | 6,031 | 6,481 | 6,365 | 5,762 | 5,780 | 5,685 | 47.2% | -1.7% |
| | CO ₂ emissions intensity (with credits) ☆ | -15% | 1 | 0.86 | 0.90 | 0.85 | 0.84 | 0.85 | 0.87 | 0.85 | 0.88 | 0.88 | 0.86 | 0.84 | 0.85 | 0.82 | 0.83 | 0.77 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 0.85 | 0.82 | 0.83 | 0.77 | | |
| | Energy consumption intensity | | 1 | 0.86 | 0.90 | 0.85 | 0.84 | 0.85 | 0.87 | 0.85 | 0.88 | 0.88 | 0.86 | 0.84 | 0.85 | 0.82 | 0.83 | 0.77 | | |
| | Production activity index | | 1 | 1.28 | 1.26 | 1.37 | 1.45 | 1.38 | 1.36 | 1.53 | 1.54 | 1.65 | 1.81 | 2.01 | 1.95 | 1.81 | 1.79 | 1.91 | | |
| Japan Federation of Coastal Shipping Associations | CO ₂ emissions (with credits) | | | | | | | | | | | | | | 720 | 656 | 705 | 687 | -20.0% | -2.5% |
| | CO ₂ emissions (excluding credits) | | 859 | 904 | 876 | 886 | 919 | 934 | 895 | 854 | 787 | 790 | 794 | 772 | 720 | 656 | 705 | 687 | -20.0% | -2.5% |
| | CO ₂ emissions intensity (with credits) ☆ | -3% | 1 | 1.07 | 1.09 | 1.09 | 1.07 | 1.08 | 1.07 | 1.10 | 1.01 | 1.04 | 1.07 | 1.06 | 1.07 | 1.09 | 1.09 | 1.10 | | |
| | CO ₂ emissions intensity (excluding credits) | | | | | | | | | | | | | | 1.07 | 1.09 | 1.09 | 1.10 | | |
| | Energy consumption | | 314 | 330 | 320 | 323 | 335 | 340 | 326 | 311 | 287 | 288 | 289 | 281 | 262 | 239 | 256 | 250 | -20.4% | -2.6% |
| | Energy consumption intensity | | 1 | 1.07 | 1.09 | 1.08 | 1.07 | 1.07 | 1.06 | 1.09 | 1.00 | 1.04 | 1.06 | 1.06 | 1.07 | 1.09 | 1.09 | 1.09 | | |
| | Production activity index | | 1 | 0.98 | 0.94 | 0.95 | 1.00 | 1.01 | 0.98 | 0.91 | 0.91 | 0.88 | 0.87 | 0.85 | 0.78 | 0.70 | 0.75 | 0.73 | | |
| All Japan Freight Forwarders Association *7 | CO ₂ emissions (with credits) ☆ | -15% | | | | | | | | | | | | | 13.4 | 13.3 | 12.9 | 12.7 | -16.8% | -1.4% |
| | CO ₂ emissions (excluding credits) | cf. 98 | | | 15.2 | | | 14.6 | 14.6 | 14.6 | 14.5 | 14.1 | 13.7 | 13.6 | 13.4 | 13.3 | 12.9 | 12.7 | -16.8% | -1.4% |
| | Energy consumption | | | | 5.7 | | | 5.5 | 5.5 | 5.5 | 5.5 | 5.3 | 5.2 | 5.1 | 5.0 | 5.0 | 4.8 | 4.8 | -16.8% | -1.4% |
| Non-governmental Railways Association | CO ₂ emissions (with credits) | | | | | | | | | | | | | | 192 | 178 | 179 | 231 | 16.2% | 29.0% |
| | CO ₂ emissions (excluding credits) | | 199 | 192 | 188 | 201 | 198 | 198 | 214 | 227 | 221 | 224 | 212 | 234 | 228 | 210 | 211 | 248 | 24.6% | 17.6% |
| | CO ₂ emissions intensity (with credits) | | | | | | | | | | | | | | 0.81 | 0.74 | 0.75 | 0.98 | | |
| | CO ₂ emissions intensity (excluding credits) | | 1 | 0.86 | 0.85 | 0.89 | 0.86 | 0.86 | 0.93 | 0.97 | 0.95 | 0.96 | 0.91 | 1.00 | 0.97 | 0.87 | 0.89 | 1.05 | | |
| | Energy consumption | | 131 | 144 | 146 | 147 | 137 | 137 | 138 | 136 | 137 | 134 | 131 | 131 | 130 | 129 | 129 | 123 | -6.1% | -4.9% |
| | Energy consumption intensity ☆ | -17% | 1 | 0.99 | 1.00 | 1.00 | 0.91 | 0.91 | 0.91 | 0.89 | 0.90 | 0.88 | 0.85 | 0.85 | 0.84 | 0.82 | 0.83 | 0.79 | | |
| | Production activity index | | 1 | 1.12 | 1.12 | 1.13 | 1.15 | 1.16 | 1.16 | 1.17 | 1.17 | 1.17 | 1.17 | 1.18 | 1.18 | 1.20 | 1.20 | 1.19 | | |

*1 "Emissions from industrial processes" refers to CO₂ emitted by non-energy sources in the course of the manufacturing process.

*2 Total CO₂ emissions and energy consumption for the 34 industries are calculated on the basis of "generating end" electric power input per unit output for the respective industries on a fiscal year basis. On the other hand, in follow-up surveys, industries may also choose to report emissions in terms of "demand end" electric power input per unit output or fixed (the ratio in fiscal 1990) electric power input per unit output (as in the Japan Gas Association, Japan Electrical Manufacturers' Association, Japan Electronics and Information Technology Industries Association, Communications and Information Network Association of Japan, Japan Business Machine and Information System Industries Association, and Japan Machine Tool Builders' Association). Revisions are defined as the differences between the totals of data submitted by industries and the totals of the revised industry figures.

*3 Due to a revision of the Caloric Value Table, calculations of emissions before fiscal 1990, 2000-2004, and after 2005 are based on different heat conversion coefficients.

*4 In cases where an industry uses a year other than fiscal 1990 as the base year, intensity indexes are calculated based on figures for the base year used by that industry (Japan Aluminium Association and Japan Copper and Brass Association use fiscal 1995, The Japan Society of Industrial Machinery Manufacturers, The Japan Bearing Industrial Association, and Japan Machine Tool Builders' Association use fiscal 1997 as the base year, and Japan Dairy Industry Association uses fiscal 2000 as the base year.)

*5 The figures in the table above are based on the basic calculation method used by Keidanren. The figures for the target and the CO₂ emissions in fiscal 2011 of Japan Gas Association and The Japan Rubber Manufacturers Association, based on different method from the basic one are the following (refer to the industry-specific report in Japanese):

Japan Gas Association (targets are 349,000 t-CO₂ for CO₂ emissions and 9.0g/m³ for CO₂ emissions intensity): CO₂ emissions in FY 2011: 361,000 t-CO₂ (with credits) / 375,000 t-CO₂ (excluding credits) ; CO₂ emission intensity: 9.9g-CO₂/m³ (with credits) / 9.6g-CO₂/m³ (excluding credits)

The Japan Rubber Manufacturers Association (target is to reduce CO₂ emissions -10% compared to fiscal 1990): FY 1990 : 1.98 Mt-CO₂ ; FY 2010 1.78 Mt-CO₂ (with credits) / 1.87 Mt-CO₂ (excluding credits).

*6 The figures regarding CO₂ emissions, energy consumption, and their intensities in the tables are submitted from participating industries of commercial and transportation sectors.

*7 Japan Foreign Trade Council, Inc. and All Japan Freight Forwarders Association use fiscal 1998, Japanese Bankers Association and the General Insurance Association of Japan use fiscal 2000, KDDI uses fiscal 2003, Japan Federation of Printing Industries uses fiscal 2005, and The Life Insurance Association of Japan uses fiscal 2006 as their base year.

*8 CO₂ emissions intensity and energy consumption intensity are rounded off after the automatic calculation based on CO₂ emissions, energy consumption, and production activity figures.

*9 In fiscal 2008 and fiscal 2010, only electric power companies retired credits, and other industries did not do so. Therefore, data with credits and excluding credits shown for each industry are the result of having two CO₂ emission factors accompanying electricity use, one indicating with credits and the other excluding credits.

*10 In fiscal 2011, one company withdrew from Japan Dairy Industry Association. Since the data on that company are available only back to fiscal 2000, the data concerning the company have been eliminated based on the following:(1) for fiscal 2000 through 2009, the company's actual CO₂ emissions; and (2) for fiscal 1990 through 1999, the percentage of the company's CO₂ emissions in relation to the association's fiscal 2000 total emissions (2%). The percentage of the company's CO₂ emissions in relation to the total emissions by all the 34 industries was 0.4%.

*11 Because of the loss of data at offices struck by the Great East Japan Earthquake, for fiscal 1990 and thereafter the data for Japan Chemical Industry Association and for the Federation of Pharmaceutical Manufacturers' Associations of Japan and Japan Pharmaceutical Manufacturers Association do not include data concerning one company and one place of business, respectively.

Examples of Efforts to Achieve Targets Reported by Participating Industries

1. Industrial and Energy-Conversion Sectors

| Industry | Examples of efforts made |
|---|---|
| The Federation of Electric Power Companies of Japan | <ol style="list-style-type: none"> 1. Shift to low-carbon energy on the supply side (reduction of CO₂ emission intensity) <ol style="list-style-type: none"> a) Expanded use of non-fossil fuel energy <ul style="list-style-type: none"> • Use of nuclear power generation with safety as a prerequisite • Development and dissemination of renewable energy b) Improved efficiency of electric power plants <ul style="list-style-type: none"> • Further enhancement of heat efficiency in thermal power generation • Reduction of loss rates from power transmission and distribution c) International efforts <ul style="list-style-type: none"> • Use of Kyoto Mechanisms • Efforts toward sectoral approaches 2. Increased efficiency of energy use on the customer side <ol style="list-style-type: none"> a) Energy savings <ul style="list-style-type: none"> • Diffusion of high-efficiency electrical equipment • Use of renewable and unexploited energy sources • Publicity and information provision on energy saving and CO₂ emission reduction • Promotion of load leveling b) Electricity suppliers' own efforts as users <ul style="list-style-type: none"> • Efforts relating to office use and own vehicle fleets 3. Research and development <ul style="list-style-type: none"> • Clean coal technology, next-generation transmission and distribution networks (smart grids), and CO₂ capture and storage technology • Ultra high-efficiency heat pumps and electric vehicle technologies |
| Petroleum Association of Japan | <ol style="list-style-type: none"> 1. More advanced operational control by taking advantage of the progress of control technology and optimizing technology 2. Expanded sharing of heat between equipment, and expanded installation of waste heat and other waste energy recovery facilities 3. Increased efficiency through appropriate maintenance of facilities 4. Use of high-efficiency equipment and catalysts 5. Energy-saving measures taking advantage of energy-saving subsidy programs <ol style="list-style-type: none"> a) Installation of variable-speed gas compressors in equipment for heavy oil pyrolysis and cracked oil hydrodesulfurization b) Installation of HydroCOM stepless load regulation on diesel oil |

| | |
|-------------------------------------|--|
| | <p>desulfurization equipment</p> <p>c) Motorization of condensing turbines</p> |
| The Japan Gas Association | <ol style="list-style-type: none"> 1. Promotion of energy-saving measures at city gas manufacturing plants <ol style="list-style-type: none"> a) Installation of cogeneration systems b) Use of LNG cold energy <ul style="list-style-type: none"> • Reduction of electricity purchased by manufacturing plants through power generation using LNG cold energy • Reduction of compressor electricity usage through boil-off gas (BOG) reliquefaction • Use of cold energy in freezers c) Increased efficiency of facilities <ul style="list-style-type: none"> • Increase in efficiency of LNG vaporizers and seawater pumps • Reduced electricity loss through upgrading of extra-high voltage power receiving and distribution facilities • Reduced electricity usage through installation of rev limiters on LNG cold-storage circulation pumps d) Operations optimized in accordance with demand and other factors <ul style="list-style-type: none"> • Increase in power generation through achievement of maximum load for gas pressure recovery power generation equipment (by changing high-voltage mains operation) • Use of BOG as fuel for in-house power generating facilities • Reduced electricity usage through lower discharge pressure for BOG compressors • Reduced boiler fuel use through effective utilization of steam from in-house power generation facilities • Review of dry-run method for return gas blowers in preparatory state for ship's arrival |
| The Japan Iron and Steel Federation | <ol style="list-style-type: none"> 1. Strengthened waste heat recovery, and increased efficiency of facilities 2. Establishment of technology for the clean use of coal, such as through desulphurization technology 3. Achievement of comprehensive energy efficiency where most of the energy used in plants is met through the recovery and use of byproduct gas and waste energy (steam, electricity) derived from coal 4. Energy savings through resource recycling (waste plastic, waste tires) |
| Japan Chemical Industry Association | <ol style="list-style-type: none"> 1. Improved efficiency of facilities and equipment 2. Improved operational methods 3. Recovery of waste energy 4. Rationalization of processes 5. Fuel conversion |
| Japan Paper Association | <ol style="list-style-type: none"> 1. Installation of energy-saving facilities <ol style="list-style-type: none"> a) Dryer hood heat recovery systems b) Alterations made to presses c) Installation of inverters |

| | |
|---|--|
| | <ol style="list-style-type: none"> 2. Installation of high-efficiency facilities <ol style="list-style-type: none"> a) Improved efficiency of turbines b) Enhanced evaporators c) Upgrading to high-efficiency motors and transformers d) Use of high-efficiency lighting 3. Overhaul of processes (shortened and unified processes) 4. Conversion to renewable energy (black liquor, waste materials, bark, paper sludge), waste product energy (RPF, waste plastic, waste tires, waste oil), and fuel with low CO₂ emissions 5. Enhanced controls (review of control values, reduced variation) |
| Japan Cement Association | <ol style="list-style-type: none"> 1. Promotion of the spread of energy-saving facilities 2. Expanded use of energy substitute waste products 3. Higher production ratio for mixed cement |
| The four electrical/electronics-related groups | <ol style="list-style-type: none"> 1. Reduction of boiler fuel consumption through operational improvements in facilities that use steam 2. Energy saving through optimizing operating conditions for air conditioning equipment for clean rooms |
| Japan Federation of Construction Contractors | <ol style="list-style-type: none"> 1. Reduction of construction soil that is hauled away and reduction of transported distances 2. Promotion of no idling and fuel-saving operation of vehicles 3. Strict enforcement of appropriate servicing of heavy equipment and vehicles 4. Promotion of the adoption of superior energy-saving methods, construction machinery, and construction vehicles 5. Promotion of the use of high-efficiency temporary electrical equipment 6. Promotion of energy-saving activities at on-site offices |
| Japan Automobile Manufacturers Association and Japan Auto-Body Industries Association | <ol style="list-style-type: none"> 1. Facility measures <ol style="list-style-type: none"> a) Measures on the energy supply side <ul style="list-style-type: none"> • Installation of high-efficiency compressors, and implementation of measures to prevent pressure losses and leakage of compressed air • Use of high-efficiency boilers • Use of energy-saving transformers • Efficient operation of in-house power generation facilities b) Measures regarding high energy-consumption facilities <ul style="list-style-type: none"> • Enhanced compressor shutdown, reduced air loss, and use of inverters for fans and pumps • Optimization of smelter and drying furnace efficiency, and waste heat recovery • Replacement of air conditioners (including heaters) • Reduction of downtime losses (line separation, etc.) • Use of energy-saving lighting equipment 2. Measures to increase productivity <ol style="list-style-type: none"> a) Use of more advanced energy supply and other operational control technology |

| | |
|---|--|
| | <ul style="list-style-type: none"> • Operational improvements (efficient operation, improved energy savings at work sites, etc.) • Reduction of air and steam supply pressure, unit control of compressor operation, and reconsideration of pipe routing • Reduction of air conditioner temperature in painting booths (winter) and improved furnace energy efficiency <p>b) Consolidation, rationalization, etc., of production lines</p> <ul style="list-style-type: none"> • Consolidation and rationalization of painting, casting, and processing lines <p>3. Fuel conversion, use of ESCO services, etc.</p> <p>a) Conversion of fuel</p> <ul style="list-style-type: none"> • Conversion from fuel oil to city gas for the fuel of aluminum melting furnaces • Conversion from LPG and butane gas to city gas for the fuel of heat treatment furnaces <p>b) Energy savings through operational improvements in facilities, installation of solar power systems, etc.</p> <p>4. Energy saving effects through supply chain and other coordination</p> <p>a) Sharing information on energy-saving examples and technologies</p> |
| Japan Auto Parts Industries Association | <p>1. Halting of no-load operation and other improvements to operational methods</p> <p>2. Improved efficiency of facilities and equipment</p> <p>3. Rationalization of processes</p> <p>4. Cogeneration and recovery of waste energy</p> <p>5. Mutual sharing of energy-saving technology, exchange of information about energy use</p> |
| Japan Federation of Housing Organizations | <p>1. Construction stage</p> <p>a) Improved productivity</p> <p>b) Promotion of reuse and recycling of waste construction materials from house-building</p> <p>c) Further enhancement of process management, improved efficiency in construction material distribution, and reduction in number of deliveries and removals</p> <p>d) Thorough implementation of no-idling policies for all delivery vehicles</p> <p>2. Other stages</p> <p>a) Planning and design stage</p> <ul style="list-style-type: none"> • Diffusion of high-insulation, highly airtight housing (housing meeting next-generation energy-saving standards) • Use of the housing performance indication system and the long-life quality housing system • Development and diffusion of housing that represent such concepts as “environmentally symbiotic housing,” “self-sustaining houses that recycle energy and resources,” “LO-House,” “zero-energy housing,” and “life cycle carbon minus (LCCM) housing” |

| | |
|--|---|
| | <ul style="list-style-type: none"> • Implementation of comprehensive environmental functionality evaluations at the design stage through CASBEE-Sumai (new single-family detached housing) • Use of energy-creation systems such as photovoltaic power generation and high-efficiency facilities and equipment <p>b) Creation of a quality living environment</p> <ul style="list-style-type: none"> • Preservation of the natural environment • Enhanced housing functionality, including earthquake resistance and energy-saving improvement work • Improvement of the interior environment and interior and exterior greenery <p>c) Usage stage</p> <ul style="list-style-type: none"> • Educational activities for home buyers to promote the reduction of CO₂ emissions at the usage stage <p>d) Demolition, processing, and disposal stage</p> <ul style="list-style-type: none"> • Rigorous adherence to segregated demolition • Promotion of the reuse of building material waste <p>e) Promotion of long-life housing</p> |
| Japan Mining Industry Association | <ol style="list-style-type: none"> 1. Improved productivity by consolidation and scaling up of production facilities 2. Effective use of unused heat 3. Improved efficiency through the replacement of old facilities 4. Improved efficiency through facility measures 5. Reduction of energy intensity through operational ingenuity 6. Thermal recycling through shredder dust processing 7. Use of reclaimed oil and waste plastic |
| Lime Manufacture Association | <ol style="list-style-type: none"> 1. Expanded use of recycled fuel 2. Improved operational methods 3. Recovery of waste energy 4. Rationalization of processes 5. Improved efficiency of facilities and machinery |
| The Japan Rubber Manufacturers Association | <ol style="list-style-type: none"> 1. New and expanded installation of cogeneration systems <ol style="list-style-type: none"> a) New and expanded installation of high-efficiency cogeneration systems burning city gas b) Cogeneration fuel switched from fuel oil to LNG 2. Installation of high-efficiency equipment <ol style="list-style-type: none"> a) Installation of high-efficiency fans, motors, lighting fixtures, and other such equipment 3. Implementation of steady energy-saving activities as before <ol style="list-style-type: none"> a) Insulation of heating facilities, prevention of leakage, heat recovery b) Increased operational efficiency, such as through rotation control, intermittent operation, and scaling down 4. Increased efficiency through energy conversion <ol style="list-style-type: none"> a) Process improvements, such as installation of furnaces that burn waste oil and modifying furnaces and boilers to burn gas |

| | |
|--|--|
| | <ul style="list-style-type: none"> 5. Increased efficiency of air conditioning systems <ul style="list-style-type: none"> a) Installation of ice-based thermal energy storage, absorption refrigerators, and heat pumps 6. Increased product durability <ul style="list-style-type: none"> a) Significant increase in durability achieved by switching from bias tires to radial tires 7. Introduction of tire labeling system |
| The Federation of Pharmaceutical Manufacturers' Associations of Japan and Japan Pharmaceutical Manufacturers Association | <ul style="list-style-type: none"> 1. Selection of high-efficiency equipment 2. Reconsideration of operational and control methods for facilities and equipment 3. Changes to standard and established values 4. Energy substitution 5. Reduction of radiated heat loss through insulating equipment and pipes |
| Flat Glass Manufacturers Association of Japan | <ul style="list-style-type: none"> 1. Increased efficiency of production through the scrapping and consolidation of flat glass manufacturing facilities (melting furnaces) 2. Improved heat recovery efficiency through the regular maintenance of furnaces (cold maintenance) 3. Consolidation of production to reduce the loss per furnace arising from changing production items or colors 4. Development and adoption of new combustion technology with high energy efficiency (ongoing) 5. Improved operating conditions for equipment |
| Japan Aluminium Association | <ul style="list-style-type: none"> 1. Improved energy efficiency through energy-saving operations and process improvements (improved yield) 2. Promotion of improvement in such areas as energy recovery, energy efficiency, productivity, and yield 3. Holding of meetings to publicize cases of energy-saving improvements and promotion of industry-wide application (posting of examples on members' website) 4. Introduction of energy-saving lighting 5. Promotion of active aluminum recycling (global program) 6. Support of vehicle weight reductions through the use of aluminum in automobiles and railroad cars (domestic program) |
| Brewers Association of Japan | <ul style="list-style-type: none"> 1. Power processes <ul style="list-style-type: none"> a) Fuel conversion to natural gas b) Installation of cogeneration facilities c) Installation of high-efficiency refrigeration and ice-based thermal energy storage systems d) Conversion to ammonia refrigerators and other high-efficiency refrigeration facilities e) Installation of solar power facilities f) Reduced usage of type A heavy oil as boiler fuel by using mixing equipment to add waste cooking oil 2. Preparation processes |

| | |
|---|--|
| | <ul style="list-style-type: none"> a) Installation of new boiling systems b) Installation of steam recompression facilities c) Increased efficiency of waste heat recovery d) Introduction of thermal vapor recompression e) Reduced utility usage through review of processes <p>3. Processes for wastewater processing</p> <ul style="list-style-type: none"> a) Installation of anaerobic wastewater treatment facilities b) Promotion of the recovery and use of methane gas from anaerobic processes c) Installation of biogas cogeneration facilities d) Installation of biogas boilers and other high-efficiency boilers e) Installation of fuel cells f) Utilization of waste heat from discharge flows g) Reduced utility usage through review of processes <p>4. Other processes</p> <ul style="list-style-type: none"> a) Reduced utility usage through review of processes including fermentation, filtration, and packaging b) Promotion of proactive, continual energy-saving efforts through quality control (QC) and total productive maintenance (TPM) activities c) Installation of high-efficiency CO₂ recovery equipment in fermentation processes d) Efforts to switch mercury lamps in plants to electrodeless discharge lamps (enabling power savings of 50%) e) Switch lighting to LED and review of air conditioning (efforts to set temperature to 27°C and replacement of old air conditioners) |
| <p>The Japanese Electric Wire & Cable Makers' Association</p> | <ul style="list-style-type: none"> 1. Efficient use of heat <ul style="list-style-type: none"> a) Measures to improve the insulation of furnaces b) Fuel conversion c) Improvement of steam traps d) Increased insulation of steam pipes e) Improvement of combustion efficiency through installation of regenerative burners 2. Installation of high-efficiency facilities <ul style="list-style-type: none"> a) Higher speed facilities and facilities for producing wires without joints b) Inverters installed in extruder motors and pumps c) Inverters installed in compressors, unit control of compressors 3. More efficient operation of electric power facilities <ul style="list-style-type: none"> a) More efficient electric power systems through layout changes b) Efficient operation of electric power facilities through the consolidation of operational facilities c) Reduction of unnecessary operation through use of equipment with auto-stop functions d) Consolidation and replacement of transformers 4. Other |

| | |
|----------------------------------|---|
| | <ul style="list-style-type: none"> a) Changes in clean room and air conditioner operation b) Halting ancillary equipment when on standby and switching lighting to LED c) Making energy usage more visible d) Thermal insulation paint on roofs and exterior walls e) Thermal insulation film on windows f) Reduction in number of vending machines and switching to energy-saving models |
| Japan Dairy Industry Association | <ul style="list-style-type: none"> 1. Production divisions <ul style="list-style-type: none"> a) Consolidation and rationalization of plants (consolidation and improved energy intensity) b) Fuel conversion (mainly from fuel oil A to natural gas) c) Installation of cogeneration facilities (for waste heat recovery and as backup power sources) d) Increased efforts for waste heat recovery and insulation (boiler waste heat recovery, recovery of drain and blow-off water, and insulation on walls) e) Introduction of natural refrigerant, installation of high-efficiency freezers (greater chlorofluorocarbon elimination, energy savings, and air conditioning efficiency) f) Installation of high-efficiency lighting fixtures (energy savings) g) Promotion of environmental management (promotion of activities related to ISO 14001 and sharing of outcomes) h) Reduced waste through improved yield (energy savings) i) Installation of inverters and introduction of unit control (energy savings through optimized automatic operations) j) Reduced use of combustion improver for incinerators (reduced waste and increased percentage of flammable waste) 2. Business divisions <ul style="list-style-type: none"> a) Purchase of green electric power (indirect contribution to CO₂ emission reduction) b) Implementation of Cool Biz and Warm Biz dress codes (energy saving) c) Upgrading to high-efficiency lighting (energy saving) d) Reductions to peak electricity use (use of summer time, switching operations to weekends) e) Upgrading to high-efficiency air conditioning equipment (energy saving) f) Management of company-owned forests (CO₂ absorption) 3. Logistics divisions <ul style="list-style-type: none"> a) Switch to eco-cars for company vehicles (improved fuel economy) b) Enhanced load efficiency through improved order placement/acceptance systems (reduced fuel consumption) c) Enhanced load efficiency through joint deliveries and shared loads (reduced fuel consumption) d) Use of non-cooled transport for products that can be stored at |

| | |
|---|--|
| | <p>room temperature (reduced fuel consumption)</p> <p>e) Promotion of shift to ship and rail transport (modal shift)</p> |
| Japan Copper and Brass Association | <ol style="list-style-type: none"> 1. Promotion of activities for all business facilities <ol style="list-style-type: none"> a) Installation of energy-saving lighting fixtures (with inverters) b) Change to energy-saving air conditioners c) Set-up of standby parking areas for transport operators to prevent idling d) Installation of more switches for segmented power-saving e) Installation of high-efficiency transformers f) Setting of workplace air conditioners to 28°C g) Screening of external portion of air conditioners from direct sunlight h) Shutoff of transformer power sources on holidays i) Energy-saving patrols j) Shutoff of spot cooling when not required k) Segmentation of lighting circuits l) Shutoff of coolant water on holidays m) Reduced load on air conditioners through use of air curtains n) Improved yields through TPM activities 2. Installation, replacement, and improvement of facilities and equipment <ol style="list-style-type: none"> a) Fuel conversion b) Shift to energy-saving compressors c) Introduction of raw material driers d) Replacement of mercury lamps with LED or metal halide lamps e) Improved prevention of air leakage f) Improved heat insulation for annealing furnaces g) Reuse of boiler drains 3. Improvements in process and operational control, and in operations management <ol style="list-style-type: none"> a) Inverters installed in coolant motors b) Inverters installed in exhaust fans c) Reduction of standby electricity d) Reduction of transformers through load adjustment e) Centralized monitoring of electricity f) Establishment of an automatic power-factor regulation system g) Reductions made to peak electricity use h) Prevention of no-load operation of drawing facilities i) Reduction of maintenance electricity through the consolidation and stopping of furnaces j) Changes in patterns of feeding materials into shaft furnaces |
| The Japan Society of Industrial Machinery Manufacturers | <ol style="list-style-type: none"> 1. Transfer to machinery with inverters 2. Efficient operations through the unit control and consolidated control of compressors 3. Replacement of transformer facilities 4. Switch to high-efficiency lighting |

| | |
|---|--|
| | <ol style="list-style-type: none"> 5. Reduction of test operation time 6. Regular checking of pressurized air leakage 7. Implementation of Cool Biz and Warm Biz programs 8. Other daily energy-saving activities 9. Efficient operation of air conditioning facilities and their replacement 10. Facility investments accompanied by fuel conversion |
| The Japan Bearing Industrial Association | <ol style="list-style-type: none"> 1. Efficiency of motors increased, inverters installed in motors 2. Measures to prevent air leakage and to reduce air pressure for compressors 3. Fuel conversion and use of waste heat for heat treatment facilities 4. Installation of air conditioners using ice-based thermal energy storage, installation of gas heat pumps 5. Installation of high-efficiency lighting fixtures 6. Practice of turning off lights implemented |
| Japan Sugar Refiners' Association | <ol style="list-style-type: none"> 1. Fuel conversion (higher ratio of city gas usage) 2. Installation of auto-vapor recompression concentrators 3. Installation of vacuum crystallizers with agitators 4. Installation of vacuum crystallizers with automated boiling 5. Installation of cogeneration facilities 6. Installation of steam accumulators 7. Rotational control through inverters adopted for motors 8. Recovery of boiler waste heat 9. Upgrades to turbo compressors 10. Conversion to energy-saving transformers 11. Conversion to absorption air conditioners 12. Conversion to vacuum circuit breakers 13. Insulation of steam pipes 14. Promotion of production rationalization to increase the operating rate |
| Japan Sanitary Equipment Industry Association | <ol style="list-style-type: none"> 1. Upgrade of drying furnaces (replacement of old facilities) 2. Promotion of fuel conversion 3. Installation of cogeneration systems 4. Installation of evaporative radiator cooling equipment 5. Installation of energy-saving inverter equipment 6. Reduction of the weight of furnace carts 7. Increased production efficiency and improvement of the reject rate 8. Promotion of the use of solar power and other natural energy sources 9. Higher energy-saving awareness at the individual level and programs to accumulate small energy-saving actions 10. Temperature control of air conditioners, diligent practice of turning off lights |
| Japan Soft Drink Association | <ol style="list-style-type: none"> 1. Use of cogeneration facilities 2. Improved boiler operation (optimization of settings for unit control, combustion switching, local air supply pressure, etc.; and replacement of burners for fire-tube boilers with high-efficiency ones when converting fuel) |

| | |
|--------------------------------|--|
| | <ol style="list-style-type: none"> 3. Improved efficiency in methane gas boiler operation 4. Stable operation of anaerobic sludge facilities 5. Compressors (unit control, new installation of inverter-controlled compressors) 6. Reduced electricity usage through introduction of wastewater anaerobic treatment facilities 7. Reduced boiler gas usage through review of steam lines (periodic inspection and replacement of steam traps, heat insulation of equipment using heat, improved heat insulation of steam pipe valves, steam drain recovery) 8. Switching PET bottle labeling from heat-shrink labels requiring steam heating to roll labels that do not require steam heating 9. Reduction in manpower at container acceptance and handling facilities through promotion of in-line blow molding 10. Improved production efficiency (reduced product changeover times, optimized cleaning times, improved sterilizer efficiency, enhanced filling performance of PET bottle lines) 11. Introduction of new energy forms including photovoltaic power generation 12. Thermal insulation paint on plant roofs to reduce air conditioner power consumption 13. Reduced energy loss through power saving and thermal/cold insulation 14. Reduced heat dissipation loss (recovery of waste heat) 15. Switch to energy-saving lighting (upgrade to LED lighting and rigorous switching off of unneeded lights) 16. Introduction of heat pump air conditioning 17. Implementation of energy-saving activities through ISO 14001 management program 18. Continual steam trap maintenance management 19. Periodic inspection to identify air leaks |
| Limestone Association of Japan | <ol style="list-style-type: none"> 1. Reduced consumption of fuel (diesel fuel) <ol style="list-style-type: none"> a) Upsizing and optimizing heavy machinery in use b) Reorganization of transportation routes and the shortening of traveled distances c) Strict enforcement of inspections and maintenance d) Promotion of energy-saving operation 2. Promotion of the acquisition of heavy machinery with environmentally compatible engines 3. Reduction of electricity consumption (promoting the spread of energy-saving facilities, optimizing production processes) 4. Promotion of the installation of cogeneration systems 5. Promotion of energy-saving activities 6. Measure to create carbon dioxide sinks (planting greenery on former sites, promoting research on planting methods) |
| Japan Machine Tool | <ol style="list-style-type: none"> 1. Air-conditioning-related |

| | |
|---|--|
| <p>Builder's Association</p> | <ul style="list-style-type: none"> a) Inverters installed in air conditioners and heat source pumps b) Production adjustments 2. Lighting-related <ul style="list-style-type: none"> a) Switch to metal halide and other high-efficiency lighting b) Installation of electrical power saving systems c) Thorough practice of turning off unneeded lights 3. Compressor-related <ul style="list-style-type: none"> a) Installation of inverters b) Unit control c) Reduction of air supply pressure d) Prevention of air leakage 4. Machining processes <ul style="list-style-type: none"> a) Installation of inverters b) Switching off electricity to non-operating facilities c) Production adjustments |
| <p>Flour Millers Association</p> | <ul style="list-style-type: none"> 1. Consolidation and increased operation of mills 2. Installation of cogeneration systems 3. Installation of high-efficiency motors, fans, and transformers 4. Installation of high-efficiency blowers and rotation control devices 5. Installation of compressor pressure optimization systems and unit control systems 6. Change of controls through use of inverters |
| <p>The Shipbuilders' Association of Japan and the Cooperative Association of Japan Shipbuilders</p> | <ul style="list-style-type: none"> 1. Promotion of more efficient and advanced production by encouraging investments in automated facilities 2. Installation of solar power generators |
| <p>Japan Industrial Vehicles Association</p> | <ul style="list-style-type: none"> 1. Improvements to production facilities and processes 2. Promotion of conversion to fuel with a low carbon emission factor 3. Energy-saving renovations to factory facilities (lighting, air conditioning) |
| <p>Japan Association of Rolling Stock Industries</p> | <ul style="list-style-type: none"> 1. Measures related to energy-saving facilities <ul style="list-style-type: none"> a) Installation of energy-saving production facilities b) Change to energy-saving air conditioners c) Replacement of mercury lamps with fluorescent lamps (for ceiling lighting at plants) d) Replacement of mercury lamps (for ceiling lighting at plants) with ceramic metal halide lamps and fitting of high-efficiency reflective light surrounds 2. Measures related to high-efficiency facilities <ul style="list-style-type: none"> a) Switch to amorphous transformers b) Extensive changes to facility layouts c) Upgrading to compressors with inverters 3. Measures related to fuel conversion <ul style="list-style-type: none"> a) Change of burner fuel from fuel oil to propane |

| | |
|---|---|
| | <ul style="list-style-type: none"> b) Change of hot water boiler fuel from kerosene to city gas <p>4. Operational improvements</p> <ul style="list-style-type: none"> a) Adjustment of air conditioner operating times and changes to temperature settings b) Regular cleaning of air conditioner heat exchange parts c) Effective use of paper resources and reduction of paper usage d) Reduced discarding of waste materials and improved recycling rates e) Reduced plant lighting f) Shutdown of vending machines during long holidays g) Reduced electricity usage for toilet seat heating <p>5. Other</p> <ul style="list-style-type: none"> a) Twice-yearly energy-saving campaigns b) Promotion of “energy-saving days,” “no-work Saturdays,” and “no overtime days” |
| Japan Petroleum Development Association | <ol style="list-style-type: none"> 1. Consolidation and rationalization of inefficient facilities 2. Installation of energy-saving facilities and machinery at production plants, rationalization of systems 3. Increased efficiency of operations (reduction of internal consumption of natural gas) 4. Effective use of unused low-pressure gas 5. Burning of diffused natural gas 6. Installation of environmental management systems 7. Implementation of energy-saving programs at business offices 8. Use of natural-gas-powered vehicles 9. Installation of cogeneration systems 10. Installation of fuel cells at production plants |

2. Commercial and Other Sectors

| Industry | Examples of efforts made |
|--|--|
| Japan Association of Refrigerated Warehouses | <ol style="list-style-type: none"> 1. Shift to or introduction of energy-saving facilities and technologies <ul style="list-style-type: none"> a) High-efficiency transformers b) High-efficiency compressors c) Devices to shut out outside air d) Energy-saving lighting fixtures e) Use of closed-deck platforms f) Increased use of insulation, etc. 2. Prevention of energy waste through day-to-day maintenance <ul style="list-style-type: none"> a) Maintenance of warehouse temperatures that are appropriate for the goods stored b) Strict enforcement of cleaning of condensers c) Preventing cool air from leaking out of insulated doors, etc. 3. Use of energy-saving manuals, formulation of energy management standards, and management of energy use |

| | |
|--|--|
| Japan LP Gas Association | <ol style="list-style-type: none"> 1. Consolidation of three import bases 2. Consolidation of 47 secondary bases |
| The Real Estate Companies Association of Japan | <ol style="list-style-type: none"> 1. Reduction of CO₂ and other emissions related to the design, etc., of buildings (new office buildings) <ol style="list-style-type: none"> a) Promotion of energy-saving and CO₂ emission reduction measures for buildings to be renovated or built (promotion of the use of designs and devices that help save energy and reduce CO₂ emissions) b) Selection of construction materials and air-conditioning systems with the view of reduction of hydrofluorocarbons, etc. c) Effective use of energy at local levels and utilization of unused energy (consideration toward realizing efficient energy management at local levels, and active utilization of unused energy [kitchen waste and other biomass resources, waste heat from waste incineration plants and substations, and temperature differences in the ocean, rivers, and sewage]) d) Effective use of renewable energy (promotion of the use of solar and other renewable energy sources in areas to be developed) 2. Reduction of CO₂ and other emissions related to the use of buildings owned by member companies (head office buildings) <ol style="list-style-type: none"> a) Promotion of energy-saving activities that can be carried out on a day-to-day basis (improved corporate organization to address environmental issues, installation of energy-saving equipment, and implementation of energy-saving measures in the company and within the framework of daily operations) b) Implementation of energy-saving measures for common use spaces (machine rooms, lobbies, and corridors) such as measurement and management of energy use (use of tools to manage energy intensity, introduction of building and energy management systems [BEMS], etc.), and considering efficient operations of facilities and equipment and energy-saving investments c) Implementation of energy-saving measures for spaces used by tenants (spaces rented) such as activities to raise environmental awareness among tenants, creation of systems to assist and coordinate with energy-saving activities by tenants, and provision of information to tenants (data on the use of light, heating, and water by tenants that help encourage their energy-saving activities; know-how and information concerning daily energy-saving activities; etc.) d) Creation of systems to cooperate with other industry organizations and strengthening of coordination (active use of energy-saving analysis, consulting, and ESCO services) |
| The Life Insurance Association of Japan | <ol style="list-style-type: none"> 1. Reduction of electricity use through power-saving campaigns and installation of power-saving equipment 2. Reduction of other energy use |

| | |
|---|---|
| | <ol style="list-style-type: none"> 3. Increased utilization rate of recycled paper 4. Recycling of resources through thorough separate collection of waste 5. Improved awareness of environmental issues through in-house education programs for executives and employees on environmental conservation 6. Further promotion of environmental efforts through sharing good examples of efforts made by member companies 7. Publication on the association's website of environmental efforts being made by the industry as a whole and by member companies 8. Promotion of initiatives aimed at achieving targets by identifying first-half energy usage of individual member companies and sharing their efforts to reduce energy use |
| <p>The General Insurance Association of Japan</p> | <ol style="list-style-type: none"> 1. Further reduction of energy and resource consumption <ol style="list-style-type: none"> a) Further reduction in the use of paper resources b) Reduced use of energy resources such as electricity and gas at offices c) Promotion of the use of low-emission vehicles as company cars 2. In-house training and education <ol style="list-style-type: none"> a) In-house education on environmental conservation, including new-hire training and training according to ranks of employees b) Improved corporate organization to support employee participation in volunteer environmental activities, etc. 3. Creation of environmental management and audit systems 4. Reduction of environmental burdens through collaboration with other companies and organizations 5. Dissemination of information to the public <ol style="list-style-type: none"> a) Holding of seminars and public lectures on the environment b) Publication of magazines and books on the environment c) Provision of consulting 6. Efforts through the general insurance business <ol style="list-style-type: none"> a) Development and diffusion of insurance products that help address environmental issues and provision of relevant services b) Education on the Eco-Safe Driving techniques c) Promotion of the use of recycled parts |
| <p>Nippon Telegraph and Telephone Corporation (NTT)</p> | <ol style="list-style-type: none"> 1. Total Power Revolution power-saving campaign <ol style="list-style-type: none"> a) Installation of information and communication technology (ICT) devices with high energy-saving performance (formulation of the NTT Group's guidelines on energy-saving performance) b) Promotion of energy management for around 4,000 buildings owned by the NTT Group across Japan c) Installation of energy-efficient power equipment and air conditioners d) Promotion of electricity consumption reduction through the use of direct-current power supply for servers, routers, and other Internet Protocol (IP) devices e) Installation of solar, wind, and other clean energy systems |

| | |
|-----------------------------------|---|
| | <ol style="list-style-type: none"> 2. Strengthening of measures to reduce electricity use at offices <ol style="list-style-type: none"> a) Promotion of visualization of electricity use at offices b) Reduction of electricity use for air conditioning through making use of Cool Biz and Warm Biz programs c) Reduction of electricity use for lighting by installing energy-saving fluorescent lamps and LED lamps and by managing the time of use 3. Promotion of driving company cars in an environmentally friendly way and of introducing low-pollution vehicles 4. Research and development in the fields of energy saving and clean energy <ol style="list-style-type: none"> a) Development of technologies to reduce electricity use for telecommunication facilities, including communication devices and air conditioning facilities b) Reduction of electricity use through greater network efficiency achieved by such measures as shared optical fiber and signal multiplexing c) Scaling down of ICT resources through the use of such technologies as cloud computing and virtualization for servers, etc. 5. Promotion of a modal shift through unified management of logistics |
| KDDI Corporation | <ol style="list-style-type: none"> 1. Promotion of environmental activities through expansion and renewal of ISO 14001 certification (energy-saving activities at offices and other places of business) 2. Compliance with the Act on the Rational Use of Energy <ol style="list-style-type: none"> a) Installation of energy-saving facilities at 32 designated energy management places of business (deployment and operational management of energy-saving devices, such as upgrading to high-efficiency air conditioning systems, installation of inverters and motion sensors in lighting fixtures, renovation of cold water pumps and freezers, and use of solar control window films) 3. Installation of energy-saving equipment at mobile communication base stations across the country, such as inverters in air conditioners, switch to heat exchangers, and lightning prevention devices for high-efficiency power supply systems |
| Japan Foreign Trade Council, Inc. | <ol style="list-style-type: none"> 1. Installation of energy-saving equipment <ol style="list-style-type: none"> a) Introduction of energy-saving office equipment b) Introduction of energy-saving vending machines c) Introduction of LED lighting d) Introduction of energy-saving air conditioning equipment (e.g., ice storage air conditioning) e) Introduction of motion sensors in corridors and restrooms 2. Thorough management of energy use <ol style="list-style-type: none"> a) Turning off lights during lunch breaks b) Reduction of the number of lights used c) Management of temperature settings and operation hours of air |

| | |
|---|---|
| | <ul style="list-style-type: none"> conditioners d) Energy-saving settings for PCs and copy machines e) Having guards on patrol check whether lights are turned off f) Implementation of “no overtime day” g) Management of energy use by location h) Reduction of the number of elevators used i) Management of operation hours for water heaters, tea dispensers, and vending machines <p>3. Promotion of education activities</p> <ul style="list-style-type: none"> a) Strict enforcement of turning off lights when unused b) Strict enforcement of switching off and unplugging office equipment when unused c) Encouraging employees to set their PCs to energy-saving mode d) Use of intranets, group newsletters, posters, and e-mails to urge employees to cooperate e) Encouraging employees to use stairs (limiting use of elevators) f) Promotion of the reduction of overtime and weekend work g) Encouraging employees to adjust blinds |
| Japanese Bankers Association | <ul style="list-style-type: none"> 1. Efficient use of resources <ul style="list-style-type: none"> a) Promotion of paperless work b) Reduction of electricity use through promotion of energy saving 2. Helping create a recycling society <ul style="list-style-type: none"> a) Promotion of the use of recycled paper for letter paper for internal use, memo pads, business cards, copier paper, etc. b) Separate collection of waste paper 3. Education and raising awareness <ul style="list-style-type: none"> a) Promotion of in-house education b) Holding of lectures on environmental issues for member banks 4. Activities to make contributions to society 5. Development of services in response to clients’ higher environmental awareness 6. Provision of information on the environment to clients |
| Japan Federation of Printing Industries | <ul style="list-style-type: none"> 1. Lighting <ul style="list-style-type: none"> a) Use of LED lamps b) Use of high-frequency lamps 2. Air conditioning <ul style="list-style-type: none"> a) Replacement of air conditioners b) Installation of inverters in air conditioners 3. Power-related equipment <ul style="list-style-type: none"> a) Prevention and reduction of air leakage b) Installation of inverters in motors, etc. 4. Other <ul style="list-style-type: none"> a) Introduction of energy management systems b) Installation of control instruments |

3. Transportation Sector

| Industry | Examples of efforts made |
|---|---|
| The Scheduled Airlines Association of Japan | <ol style="list-style-type: none"> 1. Promotion of upgrading to and introduction of new, more fuel-efficient aircraft 2. Shortened flight routes and hours and improved flight accuracy through the use of new air traffic control support systems 3. Introduction of energy-efficient method of landing (continuous descent operation [CDO]) 4. Selection of optimum flight altitudes and speeds and the shortest flight routes in day-to-day operations 5. Improved fuel efficiency by carrying optimum amounts of fuel, reducing the weight of objects carried, curtailing the use of auxiliary power unit, reducing hours of flight training and evaluation in aircrafts through the use of simulators, reducing time for engine test runs, and washing engines at regular intervals 6. Improved performance through renovation of aircraft equipment 7. Implementation of demonstration flights using biofuel |
| The Japanese Shipowners' Association | <ol style="list-style-type: none"> 1. Shift to newly built ships with improved energy efficiency, and adoption of electronically controlled engines and other energy-saving equipment 2. Development and introduction of eco-ships utilizing environmental technology and ships with reduced air and water pressure resistance 3. Research and adoption of navigation support systems, such as optimal route planning systems 4. Research and implementation of energy-saving drive technologies on ships, and thorough energy-saving efforts 5. Efforts to reduce fuel consumption, including improved propulsion efficiency and effective utilization of exhaust energy 6. Optimized and enlarged ship designs to improve transport efficiency |
| Japan Federation of Coastal Shipping Associations | <ol style="list-style-type: none"> 1. Measures on ships and equipment <ol style="list-style-type: none"> a) Use of larger types of ships b) Introduction of new types of ships c) Adoption of energy-efficient devices and equipment d) Development of energy-efficient designs for ships 2. Measures concerning operations <ol style="list-style-type: none"> a) Improved transport efficiency b) Energy-saving diagnosis for individual ships c) Selection of optimal transportation routes |
| All Japan Freight Forwarders Association | <ol style="list-style-type: none"> 1. Assistance for the introduction of low-pollution vehicles (vehicles that meet emission standards and compressed natural gas [CNG] vehicles) 2. Promotion of switching to larger vehicles |
| The Association of Japanese Private Railways | <ol style="list-style-type: none"> 1. Promotion of the introduction of energy-saving railcars when increasing the number of or replacing vehicles 2. Appropriate train operations according to demand through adoption of train schedules for Saturdays, Sundays, and holidays |

(Attachment 4)

Results of Efforts Related to Offices and Other Operational Units

| Industry | Electricity/energy consumption | CO ₂ emission reductions | CO ₂ emissions per unit of floor area |
|--|---|-------------------------------------|--|
| The Federation of Electric Power Companies of Japan | FY 2000: 1.06 bil. kWh → FY 2011: 0.75 bil. kWh | 40,000 t-CO ₂ | |
| The Japan Iron and Steel Federation | Base year (FY 2003–2005 average): 686 TJ → FY 2011: 518 TJ | | |
| Japan Paper Association | FY 2010: 506 TJ → FY 2011: 442 TJ | | FY 2010: 34 kg/m ² → FY 2011: 31 kg/m ² |
| Japan Automobile Manufacturers Association and Japan Auto-Body Industries Association | FY 2005: 26,700 kl → FY 2011: 22,800 kl | 3,000 t-CO ₂ | FY 2005: 81.4 kg/m ² → FY 2011: 71.1 kg/m ² |
| Japan Auto Parts Industries Association | FY 2007: 343.1 MJ → FY 2011: 309.6 MJ | 34,000 t-CO ₂ | FY 2007: 83.6 kg/m ² → FY 2011: 74.7 kg/m ² |
| Lime Manufacture Association | | | FY 2007: 51.3 kg/m ² → FY 2011: 46.7 kg/m ² |
| The Federation of Pharmaceutical Manufacturers' Associations of Japan and Japan Pharmaceutical Manufacturers Association | FY 2007: 23,000 kl → FY 2011: 19,700 kl | 4,000 t-CO ₂ | FY 2007: 69.8 kg/m ² → FY 2011: 62.5 kg/m ² |
| Flat Glass Manufacturers Association of Japan | FY 2007: 18,962,553 MJ → FY 2011: 14,151,900 MJ | 201 t-CO ₂ | FY 2007: 84.97 kg/m ² → FY 2011: 83.80 kg/m ² |
| The Japanese Electric Wire & | | | FY 2005: 0.0534 t/m ² → FY 2011: 0.0479 t/m ² |

| | | | |
|--|---|--------------------------|--|
| Cable Makers' Association | | | |
| Japan Copper and Brass Association | FY 2005: 480 kl → FY 2011: 190 kl | 550 t-CO ₂ | FY 2005: 0.105 t/m ² → FY 2011: 0.044 t/m ² |
| The Japan Society of Industrial Machinery Manufacturers | FY 2007: approx. 136.03 mil. kWh → FY 2011: approx. 86.47 mil. kWh | 30,000 t-CO ₂ | FY 2007: 0.07 t/m ² → FY 2011: 0.043 t/m ² |
| The Japan Bearing Industrial Association | | | FY 2005: 52.8 kg/m ² → FY 2011: 44.0 kg/m ² |
| Japan Sugar Refiners' Association | | | FY 2006: 79.2 kg/m ² → FY 2011: 76.0 kg/m ² |
| Japan Soft Drink Association | FY 2009: 5,600 kl → FY 2011: 4,400 kl | 100 t-CO ₂ | |
| Limestone Association of Japan | | | FY 2006: 113.6 kg/m ² → FY 2011: 70.8 kg/m ² |
| Japan Machine Tool Builder's Association | FY 2007: 145,000 GJ → FY 2010: 112,000 GJ | 2,300 t-CO ₂ | FY 2007: 0.1 t/m ² → FY 2010: 0.05 t/m ² |
| Flour Millers Association | | | FY 2008: 43.2 kg/m ² → FY 2011: 39.1 kg/m ² |
| The Shipbuilders' Association of Japan and the Cooperative Association of Japan Shipbuilders ^{*1} | FY 2006: 4,600 kl → FY 2011: 3,200 kl | 3,400 t-CO ₂ | FY 2006: 148.7 kg/m ² → FY 2011: 127.9 kg/m ² |
| Japan Association of Rolling Stock Industries | FY 2010: 1,100 kl → FY 2011: 1,000 kl | | |
| Japan Petroleum Development Association | FY 2010: 1,200 kl → FY 2011: 1,000 kl | | |

| | | | |
|--|--|--------------------------|---|
| Japan LP Gas Association | | | FY 2006: 53 kg/m ² → FY 2010: 50 kg/m ² |
| The Life Insurance Association of Japan | FY 2006: 153.47 mil. kWh → FY 2011: 128.91 mil. kWh | | FY 2006: 84.7 kg/m ² → FY 2011: 81.5 kg/m ² |
| The General Insurance Association of Japan | FY 2006: 802,745,512 MJ → FY 2011: 589,176,682 MJ | 5,800 t-CO ₂ | FY 2006: 65.9 kg/m ² → FY 2011: 64.9 kg/m ² |
| Japan Foreign Trade Council, Inc. | FY 2005: 27,000 kl → FY 2011: 21,000 kl | 6,800 t-CO ₂ | FY 2005: 58.1 kg/m ² → FY 2011: 47.8 kg/m ² |
| KDDI | FY 2006: 6,900 kl → FY 2011: 5,500 kl | 100 t-CO ₂ | FY 2006: 55.8 kg/m ² → FY 2011: 52.9 kg/m ² |
| Japanese Bankers Association | FY 2007: 357,000 kl → FY 2011: 292,000 kl | 90,000 t-CO ₂ | FY 2007: 127.5 kg/m ² → FY 2011: 93.4 kg/m ² |
| The Association of Japanese Private Railways | | | FY 2007: 85.6 kg/m ² → FY 2011: 74.6 kg/m ² |

*1 The figures in the table do not include the results of efforts made by the Cooperative Association of Japan Shipbuilders.

(Attachment 5)

Results of Efforts Related to Distribution Operations

| Industry | Energy consumption | CO ₂ emission reductions | CO ₂ emissions per unit of cargo transported | Energy consumption per unit of cargo transported |
|---|--|-------------------------------------|---|---|
| The Federation of Electric Power Companies of Japan | FY 2000: 32,000 kl → FY 2010: 26,000 kl | 13,000 t-CO ₂ | | |
| The Japan Gas Association | FY 2003: 189 TJ → FY 2011: 169 TJ | 1,400 t-CO ₂ | | |
| The Japan Iron and Steel Federation | | | | FY 2005: 65 kg / 1,000 t-km → FY 2010: 44 kg / 1,000 t-km |
| Japan Chemical Industry Association | FY 2006: 19,873 TJ → FY 2011: 17,669 TJ | 140,000 t-CO ₂ | | |
| Japan Paper Association | FY 2011: 8,091 TJ → FY 2012: 8,012 TJ | 3,000 t-CO ₂ | | |
| Japan Cement Association | | | Tankers: Emissions in FY 2011 represented a 6.9% reduction compared to FY 2000. Bulk cement trucks: Emissions in FY 2011 represented a 7.6% reduction compared to FY 2000. | |
| Japan Automobile Manufacturers Association and Japan Auto-Body Industries Association | | | FY 2006: 0.120 t/t-km → FY 2011: 0.104 t/t-km | |
| Japan Auto Parts Industries Association | FY 2007: 22.2 MJ → FY 2011: 17.0 MJ | 14,000 t-CO ₂ | | FY 2007: 127.6 kg/t-km → FY 2011: 110.5 kg/t-km |

| | | | | |
|--|--|--------------------------|---|--|
| Flat Glass Manufacturers Association of Japan | FY 2007: 787,972,707 MJ → FY 2011: 507,106,809 MJ | 19,000 t-CO ₂ | | |
| Japan Copper and Brass Association | FY 2005: 830 kl → FY 2011: 720 kl | 280 t-CO ₂ | FY 2005: 0.165 kg/t-km → FY 2011: 0.156 kg/t-km | FY 2005: 0.062 l/t-km → FY 2010: 0.058 l/t-km |
| Japan Soft Drink Association | FY 2010: 37,500 kl → FY 2011: 35,800 kl | | FY 2010: 0.0525 kg/t-km → FY 2011: 0.0491 kg/t-km | FY 2010: 0.0198 l/t-km → FY 2011: 0.0185 l/t-km |
| Japan LP Gas Association | FY 2006: 1,696,560,000 MJ → FY 2010: 1,072,012,000 MJ | | FY 2006: 0.08 kg/t-km → FY 2010: 0.07 kg/t-km | |
| Limestone Association of Japan | FY 2005: 3,000 kl → FY 2011: 1,700 kl | 3,000 t-CO ₂ | FY 2005: 0.165 kg/t-km → FY 2011: 0.156 kg/t-km | |

International Comparison of Energy Efficiency in Participating Industries

○ Electric Power (Federation of Electric Power Companies)

Fossil-fired power generation efficiency (electric power output per unit of energy input) (2008)

| Japan | U.K. | France | Nordic countries | Germany | U.S.A. | China | India |
|-------|------|--------|------------------|---------|--------|-------|-------|
| 100 | 98 | 105 | 104 | 111 | 112 | 129 | 151 |

Source: ECOFYS, "International Comparison of Fossil Power Efficiency," 2011.

The lower the number, the larger the amount of electricity produced per unit of energy input.

Comparison of CO₂ emissions intensity for the electric power industry ("generating-end")(2010)

| Japan | France | Canada | Italy | U.K. | Germany | U.S.A. | China | India |
|-------|--------|--------|-------|------|---------|--------|-------|-------|
| 100 | 23 | 49 | 108 | 115 | 118 | 136 | 195 | 239 |

Source: IEA, "Energy Balances of OECD Countries 2012" and "Energy Balances of Non-OECD Countries 2012."

Federation of Electric Power Companies indexed the original figures.

Since France has a high proportion of nuclear power generation (approx. 80%) and Canada has a high proportion of

○ Oil (Petroleum Association of Japan)

Energy consumption index of refineries (2004)

| Japan | Advanced Asian countries (excluding China) | Western Europe | U.S.A. and Canada |
|-------|--|----------------|-------------------|
| 100 | 101 | 103 | 113 |

Source: Data from the results of a survey by Solomon Associates Ltd.

This is a comparison of "energy intensity index," which is Solomon Associates' proprietary benchmarking method. The index is based on throughput equivalents, which is similar in nature to the index used by the oil industry in its voluntary action plan (energy consumption intensity at oil refineries). A lower number indicates higher efficiency.

○ Iron and Steel (Japan Iron and Steel Federation)

Energy efficiency of Steel Industries (2010)

| Japan | South Korea | Germany | China | U.K. | India | U.S.A. | Russia |
|-------|-------------|---------|-------|------|-------|--------|--------|
| 100 | 104 | 112 | 117 | 123 | 124 | 132 | 136 |

Source: Research Institute for Innovative Technology for the Earth (RITE) "International Comparison of Energy Efficiency, 2010.

○ Chemicals (Japan Chemical Industry Association)

Electric power consumed in relation to production of electrolytic caustic soda (2009)

| Japan | South Korea | China | Canada | Middle East | India | U.S.A. | Western Europe | Eastern Europe | Mexico |
|-------|-------------|-------|--------|-------------|-------|--------|----------------|----------------|--------|
| 100 | 100 | 103 | 105 | 107 | 109 | 109 | 111 | 112 | 118 |

Source: CMAI, "Capacity Database 2009"; and Japan Soda Industry Association, "Soda Gijutsu Handobukku 2009" (Soda Technology Handbook 2009).

○ Mining (Japan Mining Industry Association)

Energy efficiency of copper refineries (2000)

| Japan | Europe | Asia | North America | South America |
|-------|--------|------|---------------|---------------|
| 100 | 133 | 143 | 154 | 202 |

Source: Sample data collected through interviews by Japan Mining Industry Association. Comparison is of energy efficiency (MJ/ton) of copper refineries

○ Aluminum (Japan Aluminum Association)

Energy consumption in the plate rolling process (2000)

| Japan | Global |
|-------|--------|
| 100 | 127 |

Source: International Aluminium Institute and Life Cycle Assessment Society of Japan's Database (2006).

Potential for Energy Savings if Global Best Available Technologies (BAT) Were Introduced

○ Paper (Japan Paper Association)

Potential energy savings in major countries' pulp and paper industries if BAT were introduced (Unit: GJ/t)

| Japan | Germany | Finland | France | U.S.A. | Canada | Russia | Global |
|-------|---------|---------|--------|--------|--------|--------|--------|
| 0.3 | 0.1 | 1 | 2.3 | 6.5 | 8.3 | 12.9 | 3.0 |

Source: IEA, "Energy Technology Perspectives 2012."

○ Cement (Japan Cement Association)

Potential energy savings if BAT were introduced (Unit: GJ/t)

| Japan | Brazil | India | Europe (OECD members) | China | Korea | U.S.A. | Global |
|-------|--------|-------|-----------------------|-------|-------|--------|--------|
| 0.4 | 0.5 | 0.6 | 0.8 | 0.9 | 1.3 | 1.4 | 0.9 |

Source: IEA, "Energy Technology Perspectives 2010."

(Attachment 7)

Evaluation Committee for the Voluntary Action Plan on the Environment

1. Establishment July 23, 2002

2. Objectives

- (1) To confirm that follow-up surveys for the Voluntary Action Plan on the Environment (Measures against Global Warming) are performed properly and to evaluate their transparency and credibility from an independent standpoint.
- (2) To identify areas for improvement regarding the follow-up surveys for the Keidanren Voluntary Action Plan on the Environment (Measures against Global Warming), so as to contribute to further improving transparency and credibility.

3. Results of activities

The evaluation of the past ten follow-up surveys (fiscal 2002–2011) was conducted from the following perspectives.

- (1) To assess whether the processes for the collection, aggregation and reporting of data by the industries participating in the follow-up surveys, and the aggregation of the data reported by the participating industries, were implemented properly.
- (2) With respect to the follow-up system as a whole, to identify aspects that should be improved in order to increase transparency and credibility.

A Voluntary Action Plan Evaluation Report was prepared and released to the public ten times.

4. Members of the Evaluation Committee (as of October 2012)

Chairman: Yoji Uchiyama (Professor, Graduate School of Systems and Information Engineering, Institute of Engineering Mechanics and Systems, University of Tsukuba)

Members: Tadashi Aoyagi (Former Senior Research Fellow, Mitsubishi Research Institute)
Kiyoe Asada (President, Women's Energy Network)
Kazuya Koujitani (Secretary-General, Green Purchasing Network)
Masaki Mashita (Advisor, Japan Forestry Association)
Ryuji Matsuhashi (Professor, Department of Environment Systems, Graduate School of Frontier Sciences, The University of Tokyo)
Kanji Yoshioka (Professor Economics, Keio Economic Observatory, Keio University)

Reference: The Formulation of the Voluntary Action Plan on the Environment: History and Aims

1. History

A step ahead of the Earth Summit in 1992, Keidanren formulated the Keidanren Global Environment Charter in 1991. Guided by a basic philosophy that the addressing of environmental problems is essential to corporate existence and activity, it proclaimed a course of voluntary and active efforts directed at environmental conservation.

In order to link the philosophy of the Global Environment Charter to concrete action, in 1996 the Keidanren Appeal on the Environment was announced. With respect to measures to counter global warming, Keidanren then announced the formulation of a voluntary action plan to promote practical and effective efforts by the business community.

This led to the formulation of the Keidanren Voluntary Action Plan on the Environment (renamed the Voluntary Action Plan on the Environment in fiscal 2002) in the following year, 1997. Today, 61 industrial organizations and companies are participating in the plan, through which they are actively addressing not only global warming but also the problem of waste. With respect to measures to counter global warming, the uniform goal is the “reduction of CO₂ emissions from participating industries in the industrial and energy-conversion sectors in fiscal 2010 to below the levels of fiscal 1990.” Since the Voluntary Action Plan on the Environment was adopted before the Kyoto Protocol (in June 1997), its target year differed from the Kyoto Protocol’s five-year commitment period of fiscal 2008 to fiscal 2012. In view of this situation, to further contribute to Japan’s achievement of its commitments under the Kyoto Protocol, Keidanren modified the goal in 2006, stating that “the target level is to be achieved as an average in the five years of the Kyoto Protocol commitment period.”

2. Goals

The causes of long-term environmental problems that occur globally, such as global warming, are to be found in business activities of all kinds and in many aspects of our daily lives. In consequence, they cannot be addressed by restricting activities uniformly, and it is also difficult to deal with them adequately through conventional means such as regulations and the levying of taxes and charges. In view of this, in place of the conventional regulatory measures that have been effective in the past, such as the anti-pollution measures of the 1970s, today it is to voluntary efforts that we must look to have an impact on problems occurring on a global scale. The rationale underlying voluntary efforts is that they constitute the most effective countermeasures, because business people themselves, who have the best grasp of the actual situation in each industry, can take technical trends and other factors affecting management judgments comprehensively into consideration, and draft and implement the most cost-effective measures. Keidanren conducts a follow-up every year of the state of progress of the Voluntary Action Plan on the Environment, and releases its finding publicly through the Internet and other means.

Therefore, the Voluntary Action Plan on the Environment comprises four steps that are repeated each year: (1) the setting of targets; (2) the implementation of efforts to attain those targets; (3) the regular follow-up of the state of progress of those efforts; and (4) the public disclosure of the follow-up results through the Internet and other means. This mechanism spurs continuous improvements, and is able to prevent the non-achievement of targets.

The Japanese government's Kyoto Protocol Target Achievement Plan, which was approved by the Cabinet in April 2005 and revised in March 2008, positioned the Keidanren Voluntary Action Plan on the Environment as the plan that will play a central role in industry efforts toward the achievement of targets. It praised the Voluntary Action Plan stating that the merits of voluntary approaches is that they do not involve procedural costs and each entity can develop its own outstanding measures through original and innovative efforts. The hope that companies will take further advantage of these merits in their own voluntary action plans was also expressed.

The progress of the voluntary action plans is reviewed annually by the relevant government councils, and reports are also made to joint meetings of the councils concerned with domestic measures to address global warming.

3. Future Policy

Keidanren will continue to require the participating industries to ensure the steady implementation of the plan's countermeasures, and to devote its full energies to the achievement of its overall uniform goals. It will also maintain its efforts to ensure a continuous improvement in transparency and credibility on the basis of the reports of the Evaluation Committee for the Voluntary Action Plan on the Environment.

For their part, companies will expedite their voluntary efforts, not only undertaking measures relating to their own business activities, but also contributing to problem-resolution both within Japan as a whole and globally.

Addendum: Measures toward the Formation of a Recycling Society

When the Keidanren Voluntary Action Plan on the Environment was formulated in 1997, waste-related measures were included as another core component. Targets were laid down for individual industries, and with the view of promoting those measures in a responsible manner, follow-up surveys of the state of progress towards achieving targets are conducted annually. In fiscal 1999, "reduction of the final disposal volume of industrial waste by 75% in fiscal 2010 compared to fiscal 1990" was established as an industry-wide target. This target was achieved early in fiscal 2002 and in each of the years that followed. Therefore, in fiscal 2006, the Section on Waste Products was changed to the Section on the Formation of a Recycling Society, and the target was increased to "reduction of the final disposal volume of industrial waste by 86% in fiscal

2010 compared to fiscal 1990.” This second target was achieved ahead of schedule in fiscal 2008, and the target was met again in fiscal 2009.

In December 2010, Keidanren set a new target for “reduction of the final disposal volume of industrial waste by around 65% in fiscal 2015 compared to fiscal 2000.” From fiscal 2011 onward, the business community will make further efforts to reduce the final disposal volume of industrial waste as well as to promote the three Rs (reduce, reuse, and recycle) toward the formation of a recycling society.